



KAY BAILEY HUTCHISON

CONVENTION CENTER DALLAS

# SPONSORSHIP OPPORTUNITY PROGRAM GUIDELINES

Thank you for considering the sponsorship and advertising opportunities at the Kay Bailey Hutchison Convention Center Dallas (KBHCCD). The entire KBHCCD team is committed to meeting all of your signage, sponsorship, advertising, and branding needs throughout your event.

Clients who plan to install any onsite advertising and signage in the KBHCCD common areas must review and agree to the Sponsorship Guide Disclaimer on page 71. For additional information please contact the KBHCCD Marketing Manager at (214) 939-2522 or KBHCCD-info@SpectraXP.com.

#### Requirements

- Sponsorship opportunities are only available for KBHCCD clients during their contracted event dates.
- Rental does not include production, installation, or removal. These services are available from your selected decorator or general contractor.
- For your convenience we have provided the approved materials for each sponsorship location. Only approved materials may be used. Any materials not shown in the approved list may be sent as a sample to the KBHCCD team to test for approval. Please contact the Marketing Manager or your Event Manager to acquire approval.
- KBHCCD Marketing Manager must approve all sponsorship items, locations, and artwork 60 days prior to production and installation.
- If there are any areas where you would like to place signage or advertisements that are not shown in the KBHCCD Sponosorship Guide, please contact your Event Manager or the Marketing Manager to acquaire approval.

#### Billing


All advertising within the contracted space is offered at no cost. All event branded advertising within the common areas also is offered at no cost. Advertising in the common areas are subject to charges if the advertising displays sponsor/exhibitor logos. All interior ground supported advertising, including those that display exhibitor/sponsor logos is free within the common areas.

All sponsorship and branding fees will be included in your final invoice. For a quote, please contact the KBHCCD Marketing Manager at (214) 939-2522 or KBHCCD-info@SpectraXP.com.




Floor Plans	4
Arena & A Lobbies	6
A/B Lobby 1	.4
C Lobby 2	0
D/E Lobby 2	6
F Lobby 3	4
Lower A/B Lobby & Exterior4	0
Lower C Lobby & Exterior48	8
Lower D/E Lobby & Exterior5	6
Facility Wide Spaces 6	6
Advertising & Sponsorship Disclaimer7	1

# **FLOOR PLANS**




- LOWER A/B LOBBY
- LOWER C LOBBY
- LOWER D/E LOBBY
- †|† FAMILY RESTROOMS
- MEN'S RESTROOMS
- **WOMEN'S RESTROOMS**



- ARENA AND A LOBBIES
- A/B LOBBY
- C LOBBY
- D/E LOBBY
- F LOBBY
- †|† FAMILY RESTROOMS
- MEN'SRESTROOMS
- ♦ WOMEN'S RESTROOMS








Material: Wall cling only

(Walk & Wall)

Dimensions: 16.5"x101"




## AA.2

Material: Wall cling (Walk & Wall) or ground supported Dimensions: 337"x107"



Material: Banner

Dimensions: 600"x144"



### AA.4A

Material: Wall cling only

(Walk & Wall)

Dimensions: 180"x238"

#### AA.4B

Material: Wall cling only

(Walk & Wall)

Dimensions: 180"x238"

### AA.4C

Material: Banner Dimensions: 576"x80"



Material: Wall cling only (Walk & Wall)

Dimensions: 353"x153"



### AA.6

Material: Wall cling (Walk & Wall)

or ground supported Dimensions: 600"x240"




Material: Wall cling (Walk & Wall) or ground supported Cling Dimensions: 348"x252" Ground supported: 348"x204"



### **8.AA**

Material: Banner Dimensions: 432"x80"



### AA.9A

Material: Banner only Dimensions: 149"x238"

### AA.9B

Material: Banner only Dimensions: 391"x238"


### AA.9C

Material: Banner only Dimensions: 1080"x80"

### AA.9D

Material: Wall cling (Walk & Wall)


Dimensions: 22.5"x101"




Material: Wall cling only


(Walk & Wall) Dimensions: 143"x144"







Material: Banner only Dimensions: 660"x105"



Material: Window cling Dimensions: 60"x60"



Material: Banners only Banner dimensions:

144"x144" 192"x144"

Full wall dimensions\*:

540"x228"

1524"x228"

900"x228"

\*You may opt to cover the entire wall




Material: Banner only Dimensions: 660"x105"



### **AB.5**

Material: Banner only Dimensions: 432"x132"





↑ Areas D-F ⊌ Meeting Rms C140-C156



### **C**.1

Material: Banner only Dimensions: 450"x204"\* \*Alternate dimensions shown C.2C and C.2D



# **C.2A**

Material: Banner only Dimensions: 626"x204"

### **C.2B**

Material: Banner only Dimensions: 626"x204"



### **C.2C**

Material: Banner only Dimensions: 626"x204"\*

### **C.2D**

Material: Banner only Dimensions: 626"x204"\* \*Alternate dimensions shown C.1



### **C.3**

Material: Banner only Dimensions: 1080"x170"



**C.4** 

Material: Banner only Dimensions: 672"x180"



## **C.5**

Material: Banner Dimensions: 672"x96"




# **C.6**

Material: Cling
Dimensions: 89.5"x35.5"\*
\*The glass panels next
to the escalators are
narrower







### DE.1A

Material: Banner Dimensions: 384"x324"

### DE.1B

Material: Banner Dimensions: 444"x324"

### **DE.1C**

Material: Window cling only Dimensions: 48"x36.5"





### **DE.2**

Material: Cling only
Dimensions vary: 84"x97.5"
86"x97.5"
92"x97.5"



## DE.3

Material: Window cling only Dimensions vary: 57"x110.75"

57"x117.25"



## DE.4

Material: Window cling only Dimensions vary: 57"x110.75" 57"x117.25"

### DE.5A

Material: Carpet only,

no cling

Dimensions: 120"x70"

### DE.5B

Material: Escalator runner and/or window cling

Dimensions:

Runner: 11"x524"

Window cling: 524"x25"



### DE.6A


Material: Banner only Dimensions: 773"x56"

#### DE.6B

Material: Banner wrap with velcro seam Dimensions: 96"x120"

96"x324"





### DE.7A

Material: Banner Dimensions: 309"x196"

### DE.7B

Material: Banner Dimensions: 309"x196"

### DE.7C

Material: Banner

Dimensions: 309"x196"



### DE.8A

Material: Banner only\*
Dimensions: 300"x192"
\*Banners may be hung off of any available beam

### DE.8B

Material: Window cling only Dimensions: 48"x36.5"

#### DE.9A

Material: Banner only Dimensions: 272"x196"

### DE.9B

Material: Banner only Dimensions: 296"x196"

### DE.9C

Material: Banner only Dimensions: 273"x196"

### DE.9D

Material: Banner only Dimensions: 273"x196"





#### **DE. 10A**

Material: Banner Dimensions: 300"x372"

### **DE.10B**

Material: Banner Dimensions: 300"x372"



### **DE.11A**


Material: Carpet or metal cling (Walk & Wall)
Dimensions: 189"x108"\*
\*Does not include cutouts

### **DE.11B**

Material: Escalator runner and/or window cling Dimensions:

Runner: 13.5"x524" Window cling: 524"x25"







### F.1

Material: Banner

Dimensions: 687"x148"



### **F.2**

Material: Banner

Dimensions: 1679"x322"





#### **F.3**

Material: Banner only Dimensions: 1152"x96"

#### F.4A

Material: Banner only Dimensions: 324"x48"

#### **F.4B**

Material: Banner only Dimensions: 324"x48"

#### **F.5**

Material: Window cling only

Dimensions:

Lower: 57"x67.95" Upper: 57"x118"



# F.6


Material: Window clings only Dimensions vary: 49"x117.25" 53"x117.25" 56"x117.25"



F.7

Material: Banner wrap with velcro seam Dimensions: 324"x96"





#### LAB.1A

Material: Carpet or metal cling (Walk & Wall)
Dimensions: 189"x108"\*
\*Does not include cutouts

#### LAB.1B


Material: Escalator runner and/or window cling Dimensions:

Runner: 13.5"x516" Window cling: 516"x25"



### LAB.2

Material: Cling only
Window dimensions:
Lower: 117"x55.5"
Upper: 117"x57"
Door dimensions:
Lower: 26.5"x27.5"
Upper: 26.5"x75.0\*
\*Do not cover
facility signage







#### LAB.3A

Material: Banner only Dimensions: 180"x137"

#### LAB.3B

Material: Banner only Dimensions: 786"x46"

#### LAB.4

Material: Cling only Dimensions: 240"x35.5"



#### LAB.5

Material: Window cling only Dimensions: 30"x40"

#### LAB.6A

Material: Banner only Dimensions: 792"x53"

#### LAB.6B

Material: Banner only Dimensions: 540"x87"

#### LAB.6C

Material: Banner wrap with velcro seam Dimensions: 78"x96"

#### LAB.6D

Material: Window cling Dimensions vary from: 54"x35" - 62"x35"





#### LAB.7A

Material: Carpet or metal cling (Walk & Wall)
Dimensions: 189"x108"\*
\*Does not include cutouts

#### LAB.7B

Material: Escalator runner and/or window clings

Dimensions:

Runner: 13.5"x516" Window Cling: 516"x25"



#### LAB.8

Material: Banner or window cling Dimensions:


Banner: 1076"x186" Window Clings (96 total windows): 69"x31"



#### LAB.9

Material: Window cling Dimensions vary\*: 99"x55.5" 118"x55.5"

\*For angled window lengths contact your designer



#### **LAB.10**

Material: Banner only Dimensions: 924"x105"



# LAB.11

Material: Banner wrap with

velcro seams

Dimensions: 59.6"x29"




# LAB.12

Material: Banner wrap with

velcro seams

Dimensions: 116"x201.5"








#### LC.1

Material: Banner or wall cling Dimensions: 467"x102"



#### LC.2

Material: Banner or wall cling Dimensions: 467"x102"



**LC.3** 

Material: Banner Dimensions: 600"x60"



#### LC.4A

Material: Banner Dimensions: 544"x71"



#### LC.4B

Material: Banner Dimensions: 544"x71"



#### LC.5A

Material: Carpet or metal cling

(Walk & Wall)

Dimensions: 120"x70"\*
\*Does not include cutouts

#### LC.5B

Material: Window Clings and/or escalator runner

Dimensions:

Runner: 519"x16"

Window cling: 519"x27"



#### LC.6A

Material: Carpet or metal cling

(Walk & Wall)

Dimensions: 120"x70"\*
\*Does not include cutouts

#### LC.6B

Material: Window Clings and/or escalator runner

Dimensions:

Runner: 519"x16"

Window cling: 519"x27"



#### **LC.7**

Material: Cling only (Walk & Wall)

Dimensions: 180"x239"

#### LC.8A

Material: Cling only (Walk & Wall)

Dimensions: 168"x180"

#### LC.8B

Material: Cling only (Walk & Wall)

Dimensions: 112"x99"





#### LC.9A

Material: Banner Dimensions: 480"x96"

#### LC.9B

Material: Door cling\* Dimensions:

Lower: 33.5"x25" Upper: 33.5"x26.5" \*Do not cover facility

signage



#### LC.10A

Material: Banner Dimensions: 480"x96"

#### LC.10B

Material: Door cling\*


Dimensions:

Lower: 33.5"x25" Upper: 33.5"x26.5" \*Do not cover facility

signage









# LDE.1A


Material: Carpet or metal cling

(Walk & Wall)

Dimensions: 271"x180"\*
\*Does not include cutouts


# LDE.1B

Material: Escalator runner Dimensions: 11.5"x738"



#### LDE.2

Material: Window cling Dimensions: 70"x50" 80"x50"



#### LDE.3

Material: Window cling Dimensions: 67"x100" 90"x100"




#### LDE.4

Material: Window cling

Dimensions:

Lower: 58.5"x93" Upper: 58.5"x99"



#### LDE.5

Material: Banner wrap with velcro seam

Dimensions: 114"x120"

# LDE.6A POUR AD HERE

#### LDE.6A

Material: Carpet or metal cling

(Walk & Wall)

Dimensions: 136"x120"\*
\*Does not include cutouts

#### LDE.6B

Material: Escalator runner Dimensions: 11.5"x738"

#### LDE.7A


Material: Carpet or metal cling

(Walk & Wall)

Dimensions: 136"x120"\*
\*Does not include cutouts

#### LDE.7B

Material: Escalator runner Dimensions: 11.5"x738"





#### LDE.8A

Material: Carpet only Dimensions: 329"x120"

#### LDE.8B

Material: Cling

Dimensions: 329"x6.5"



#### LDE.9A

Material: Banner only Dimensions: 300"x144"

#### LDE.9B

Material: Banner wrap with velcro seam

Dimensions: 168"x144"

#### LDE. 10A

Material: Banner wrap with velcro seam Dimensions: 114"x168"

#### **LDE. 10B**

Material: Door cling\*

Dimensions: Lower: 36"x25" Upper: 36"x26.5" \*Do not cover facility signage

# LDE.10C

Material: Cling Dimensions: 77"x65"

#### LDE.11A

Material: Walk & Wall Dimensions: 660"x120"

#### LDE.11B


Material: Banner wrap with velcro seam Dimensions: 114"x204"

#### **LDE.11C**

Material: Cling only

Dimensions:

Lower: 58.5"x98.5" Upper: 58.5"x93"









Material: Banner wrap with velcro seam Dimensions: 114"x168"

**LDE.12B** 

Material: Door cling\*

Dimensions: Lower: 36"x25" Upper: 36"x26.5" \*Do not cover facility

signage

#### **LDE.12C**

Material: Window cling

Dimensions: Far left: 76.5"x50"

Other windows: 80"x50"



# **LDE.13**


Material: Cling (Walk & Wall)


Dimensions: 1008"x196"





# **FLOOR PLANS**







# **FBMB**


Material: Mirror Cling\* Dimensions: 4"x4"

\*Up to two clings per mirror



# **FBUB**

Material: Urinal Cling Dimensions: 8.5"x11"




#### PL.1-8

Material: Vector File\*
Dimensions: Varies
\*Facility Wide signage
on all 8 HD Monitors
(A/A Lobby, C Lobby,
D/E Lobby, F Lobby,
Lower C Lobby, Lower
D/E Lobby)







# **ADVERTISING & SPONSORSHIP DISCLAIMER**

Every effort has been made to ensure the accuracy of all information contained in this Sponsorship Guide. However, no guaranties, either expressed or implied, are made with respect to the accuracy of the photos and their dimensions. If the location of building columns, utilities, or other architectural components of the facility is a consideration in the construction or usage of a graphic element, it is the sole responsibility of the client to physically inspect the facility to verify all dimensions and locations.

Certain advertising/sponsorship displays may require Fire Marshal approval.

The client is ultimately responsible for any damage resulting from an advertising/sponsorship display and will be billed for repairs as determined by KBHCCD Management.

#### **Approved Materials**

Only approved materials may be used for your onsite advertising. "panoRama Walk & Wall" is the ultimate, one-step solution for indoor and outdoor floors and walls. Designed for short to medium term, indoor and outdoor applications, Walk & Wall works well on concrete, tile, wood, stone, metal, and painted surfaces. Approved materials should be re-positionable, dimensionally stable, durable, and should leave no adhesive residue. All materials must meet the following standards:

Slip Resistant: ASTM D-2047, ASTM C 1028-07 & R12 certified B1, M1, ASTM E-84, ASTM E-648 & ASTM E-662

**Smoke Generation:** ASTM E-84, ASTM E-648 & ASTM E-662

**Adhesive:** Solvent acrylic adhesive that does not damage the surface and leaves no adhesive residue.

**Composition:** Textured vinyl with fabric backing and high-tack removable adhesive.

All other materials will require approval prior to production and installation. It is the client's responsibility to provide samples for testing at least 90 days prior to installation.

