




DIMENSIONS

57" x 5" x 12" H
145cm x 13cm x 30cm H
58" x 5" x 5" H
147cm x 13cm x 13cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
Charcoal Grey
Opaque White
Pink
Amber
Topaz Yellow
Cornflower Blue
Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
Satin Nickel
Polished Nickel
Oil Rubbed Bronze


LAMPING

Input Voltage: 120V (240V upon request)
Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
CRI: 90+
Lumens: 900 (450 per globe)
Wattage: 9 Watts
Dimming: TRIAC
Dimmer: Lutron C-L recommended
Certification: ETL Listed to UL & CSA Standards*
Damp Rated

CUSTOMIZATION OPTIONS

Tube color
Globe color
Metal finish
Tube length
Tube arrangement and orientation

**Subject to Up-charge*



DIMENSIONS

49" x 5" x 11" H
124cm x 13cm x 28cm H
49" x 5" x 5" H
124cm x 13cm x 13cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
Charcoal Grey
Opaque White
Pink
Amber
Topaz Yellow
Cornflower Blue
Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
Satin Nickel
Polished Nickel
Oil Rubbed Bronze





LAMPING

Input Voltage: 120V (240V upon request)
Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
CRI: 90+
Lumens: 900 (450 per globe)
Wattage: 9 Watts
Dimming: TRIAC
Dimmer: Lutron C-L recommended
Certification: ETL Listed to UL & CSA Standards*
Damp Rated

CUSTOMIZATION OPTIONS

Tube color
Globe color
Metal finish
Tube length
Tube arrangement and orientation

**Subject to Up-charge*



DIMENSIONS

36" x 5" x 9" H
91cm x 13cm x 23cm H

36" x 5" x 5" H
91cm x 13cm x 13cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
Charcoal Grey
Opaque White
Pink
Amber
Topaz Yellow
Cornflower Blue
Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
Satin Nickel
Polished Nickel
Oil Rubbed Bronze

LAMPING

Input Voltage: 120V (240V upon request)
Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
CRI: 90+
Lumens: 900 (450 per globe)
Wattage: 9 Watts
Dimming: TRIAC
Dimmer: Lutron C-L recommended
Certification: ETL Listed to UL & CSA Standards*
Damp Rated

CUSTOMIZATION OPTIONS

Tube color
Globe color
Metal finish
Tube length
Tube arrangement and orientation

**Subject to Up-charge*