




				爆炸图				广东星星制冷设备有限公司			
标记处数	分	区	更改文件号	签名	年	月	日	ERP			
设计	陈	物		工	艺			数量	重	量	比例
校	对			标	准	化			单	重	总
审	核			批	准						0.06
				共 张 第 张				型号	UBB-24-72F-HC		

IBC-BB72				
NO.	Part English Name	Factory Part NO.	SPEC	QTY
1	RIGHT DOOR	2199001112	510*795 左	2
2	LEFT DOOR	2199001113	510*795 右	1
3	BOTTOM RIGHT HINGE	12517140003	TG系列铰链	2
4	LEVELING FEET	12534030002	12*45	8
5	BOTTOM LEFT HINGE	12517140005	TG系列铰链	1
6	BOTTOM HINGE AXIS	12517010001	弹弓	3
7	POWER SWITCH	17749211297	HY12-9-7(含防水罩)/1.5HP	1
8	LED LIGHT SWITCH	17749180002	KCD4-201 带罩/绿色	1
9	THERMOSTAT	17505180005	PZGXSOJ111/115V (螺接式) 能源之星	1
10	CONTROL PANNEL	2199001084	冷轧板Q235/喷涂/黑色/0.7*947*344	1
11	LED POWER SUPPLY	22753530013	APV-12-12/264V/12V/ 加工后	1
12	POWER CORD	17664640064	美式16AWG-2.75m (增加端子)	1
13	BACK GRILL	2199001085	冷轧板Q235/喷涂/黑色/0.7*787*390	1
14	DRAIN HOSE	15818180020	φ20	1
15	HANDLE OF COMPRESSOR INSTALLATIO	2199001086	镀锌板/2.0*154*20	1
16	OUTER DRAIN PAN	16316130005	210*120*30	1
17	CONDENSER INSTALLATION BOARD	2199001087	镀锌板/1.0*289*120	1
18	CONDENSER	17304110150	4R11K150L	1
19	FILTER FIXER	16369690257	PPR/41*42*15	1
20	CONDENSER FAN MOTOR	22752520021	11938KA-12L-EA/ 加工后	2
21	FILTER	17111250197	Φ25X160-A	1
22	COMPRESSOR	17202163121	EM2X3121U//115V/R290	1
23	INNER DRAIN PAN	2199001088	SUS304/ 光板/0.6*467*262	1
24	EVAPORATOR	17405080340	5R8K340L	1
25	FIXED MOUNTS FOR BACK GRILL	2199001089	镀锌板/1.0*758*38	1
26	COMPRESSOR INSTALLATION BOARD	2199001090	镀锌板/1.0*570*231	11

27	COMPRESSOR COMPONENT			1
28	EVAPORATOR COVER	2199001100	SUS304/ 磨砂/0.9*492*467	1
29	TEMPERATURE PROBE FIXER	16357060003	PA6/ 黑色	1
30	TEMPERATURE PROBE	17649490016	3M (蓝色) 小精灵	1
31	EVAPORATOR FAN INSTALLATION BOARD	2199001092	铝板/1.0*462*355	1
32	EVAPORATOR FAN BLADE	16381738082	V200/28(73808-2-3634)	1
33	EVAPORATOR FAN HOLDER	12504050201	D200/ 白色浸塑 /UBB/UDD 系列	1
34	EVAPORATOR FAN MOTOR	22752520007	M4Q045-CA27-VH/G01/ 加工后	1
35	LED LIGHT	17740410069	PW3W-18A/600mm(DC12V/3.2W)	1
36	TOP BOARD	2199001101	SUS304	1
37	TOP BOARD FIXER	2199001094	SUS304/ 光板/1.5*50*32	8
38	K STRIP	2199001095	K型条_4孔	12
39	K CLIP	5302000003	SUS430/ 光板/1.2*72.2*22	24
40	SHELF/LEFT AND RIGHT	12502460487	484*460 (灰色加密)	4
41	UPPER RIGHT HINGE	2199001096	SUS304/ 光板/3.0*40*105	2
42	AXIS COVER	16353010008	φ7	6
43	GASKET	16401478763	763*478/M123	3
44	KEY	12546310002	帝高001	3
45	LOCK PLATE	2199001097	SUS304/ 光板/1.5*60*60	3
46	LOCK	12546100952	952(同锁)	3
47	UPPER LIGHT HINGE	2199001098	SUS304/ 光板/3.0*40*105	1
48	CABINET			1
49	DOOR HANDLE	16337030003	ADL窄把手	3
50	MIDDLE SHELF	12502460522	520*460 (灰色加密)	2
51	AIR DEFLECTOR	2199001116	SUS304/ 光板/0.4*530*371	1