

ASPHALT BLEED BLOCKER

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** ASPHALT BLEED BLOCKER

**Other means of identification**

**Synonyms:** Acrylic Emulsion

**Recommended use and restriction on use**

**Recommended use: Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials LLC  
260 Hudson River Road  
Waterford NY 12188

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
+1-800-295-2392

**Emergency telephone number**  
**Supplier** : CHEMTREC  
1-800-424-9300

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Carcinogenicity Category 1A

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

## ASPHALT BLEED BLOCKER

<b>Hazard Statement:</b>	May cause cancer.
<b>Precautionary Statements</b>	
<b>Prevention:</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
<b>Response:</b>	If exposed or concerned: Get medical advice/attention.
<b>Storage:</b>	Store locked up.
<b>Disposal:</b>	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
<b>Other hazards which do not result in GHS classification:</b>	None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
CALCIUM CARBONATE	1317-65-3	20 - <50%	# This substance has workplace exposure limit(s).
ANATASE (TiO <sub>2</sub> )	1317-70-0	1 - <5%	# This substance has workplace exposure limit(s).
TITANIUM DIOXIDE	13463-67-7	1 - <5%	# This substance has workplace exposure limit(s).
(1) QUARTZ	14808-60-7	0.1 - <1%	# This substance has workplace exposure limit(s).

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

## ASPHALT BLEED BLOCKER

<b>Ingestion:</b>	If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice. Never give liquid to an unconscious person.
<b>Inhalation:</b>	Move to fresh air. Get medical attention if symptoms persist.
<b>Skin Contact:</b>	Wash area with soap and water. Get medical attention if symptoms occur.
<b>Eye contact:</b>	In the event of contact with the eyes, rinse thoroughly with clean water. Get medical attention if any discomfort continues.

### Most important symptoms/effects, acute and delayed

<b>Symptoms:</b>	No data available.
<b>Hazards:</b>	No data available.

### Indication of immediate medical attention and special treatment needed

<b>Treatment:</b>	Treatment is symptomatic and supportive.
-------------------	--

## 5. Fire-fighting measures

<b>General Fire Hazards:</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.
------------------------------	--

### Suitable (and unsuitable) extinguishing media

<b>Suitable extinguishing media:</b>	All standard extinguishing agents are suitable.
<b>Unsuitable extinguishing media:</b>	Avoid water in straight hose stream; will scatter and spread fire.

<b>Specific hazards arising from the chemical:</b>	In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.
--	--

### Special protective equipment and precautions for firefighters

<b>Special fire fighting procedures:</b>	Keep away from sources of ignition - No smoking. All equipment used when handling the product must be grounded.
--	---

## ASPHALT BLEED BLOCKER

### Special protective equipment for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Caution: Contaminated surfaces may be slippery. Keep unprotected persons away. Avoid contact with skin and eyes. Use personal protective equipment. Keep out of reach of children.

### Methods and material for containment and cleaning up:

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

### Notification Procedures:

Remove sources of ignition. Pay attention to the risk of combustion by fire or other sources of ignition.

### Environmental Precautions:

Do not allow runoff to sewer, waterway or ground.

## 7. Handling and storage

### Precautions for safe handling:

Sensitivity to static discharge is not expected. Do not get in eyes, on skin, on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal Protective Equipment.

### Conditions for safe storage, including any incompatibilities:

Keep in a cool, ventilated location far from heat source and flame. Keep container closed. Use original container or packaging of similar material of construction.

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
CALCIUM CARBONATE - Respirable.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
CALCIUM CARBONATE - Total	REL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
CALCIUM CARBONATE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
CALCIUM CARBONATE - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
CALCIUM CARBONATE - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
CALCIUM CARBONATE - Respirable fraction.	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
ANATASE (TiO2)	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
ANATASE (TiO2) - Total	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air

## ASPHALT BLEED BLOCKER

dust.			Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
TITANIUM DIOXIDE	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
TITANIUM DIOXIDE - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) QUARTZ - Respirable fraction.	TWA	0.025 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) QUARTZ - Respirable dust.	REL	0.05 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) QUARTZ - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
(1) QUARTZ - Total dust.	TWA	0.3 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)

### Appropriate Engineering Controls

Provide eyewash station and safety shower. Local exhaust is recommended. Observe good industrial hygiene practices.

### Individual protection measures, such as personal protective equipment

**General information:** No data available.

**Eye/face protection:** Safety glasses with side shields

#### Skin Protection

**Hand Protection:** Chemical resistant gloves

**Other:** Wear suitable protective clothing and eye/face protection.

**Respiratory Protection:** If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

**Hygiene measures:** Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat, drink or smoke.

## 9. Physical and chemical properties

### Appearance

**Physical state:** liquid

**Form:** liquid

## ASPHALT BLEED BLOCKER

<b>Color:</b>	No data available.
<b>Odor:</b>	No data available.
<b>Odor threshold:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point/freezing point:</b>	No data available.
<b>Initial boiling point and boiling range:</b>	No data available.
<b>Flash Point:</b>	> 94 °C estimated
<b>Evaporation rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Flammability limit - upper (%):</b>	No data available.
<b>Flammability limit - lower (%):</b>	No data available.
<b>Explosive limit - upper (%):</b>	No data available.
<b>Explosive limit - lower (%):</b>	No data available.
<b>Heat of combustion:</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Vapor density:</b>	No data available.
<b>Density:</b>	No data available.
<b>Relative density:</b>	1.44 (20 °C)
<b>Solubility(ies)</b>	
<b>Solubility in water:</b>	No data available.
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water) Log Pow:</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Decomposition temperature:</b>	No data available.
<b>SADT:</b>	No data available.
<b>Viscosity, dynamic:</b>	No data available.
<b>Viscosity, kinematic:</b>	No data available.
<b>VOC:</b>	< 100 g/l

### 10. Stability and reactivity

<b>Reactivity:</b>	No dangerous reaction if used as recommended.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	Under normal conditions of storage and use, hazardous polymerization will not occur.

## ASPHALT BLEED BLOCKER

<b>Conditions to avoid:</b>	None known.
<b>Incompatible Materials:</b>	Strong Acids, Strong Bases
<b>Hazardous Decomposition Products:</b>	In case of fire, gives off (emits): Carbon dioxide Silicon dioxide. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

### 11. Toxicological information

#### Information on likely routes of exposure

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics

<b>Ingestion:</b>	No data available.
<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

#### Information on toxicological effects

##### Acute toxicity (list all possible routes of exposure)

##### Oral

##### Product:

##### Specified substance(s):

ANATASE (TiO<sub>2</sub>) LD 50 (Rat, No data available.): 10,000 mg/kg

TITANIUM DIOXIDE LD 50 (Rat): > 10,000 mg/kg

##### Dermal

##### Product:

##### Specified substance(s):

TITANIUM DIOXIDE LD 50 (Rabbit): > 10,000 mg/kg

---

**ASPHALT BLEED BLOCKER**

**Inhalation**

**Product:**

**Specified substance(s):**

TITANIUM DIOXIDE      LC50 (Rat): > 6.8 mg/l

**Repeated dose toxicity**

**Product:**      No data available.

**Skin Corrosion/Irritation**

**Product:**      No data available.

**Serious Eye Damage/Eye Irritation**

**Product:**      No data available.

**Specified substance(s):**

TITANIUM DIOXIDE      No eye irritation

**Respiratory or Skin Sensitization**

**Product:**      No data available.

**Specified substance(s):**

TITANIUM DIOXIDE      negative

**Carcinogenicity**

**Product:**      No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

ANATASE (TiO<sub>2</sub>)      Overall evaluation: 2B. Possibly carcinogenic to humans.

(1) QUARTZ      Overall evaluation: 1. Carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:**

(1) QUARTZ      Known To Be Human Carcinogen.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified



---

**ASPHALT BLEED BLOCKER**

**Germ Cell Mutagenicity**

**In vitro**  
**Product:** No data available.

**In vivo**  
**Product:** No data available.

**Reproductive toxicity**  
**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**  
**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**  
**Product:** No data available.

**Aspiration Hazard**  
**Product:** No data available.

**Other effects:** No data available.

<b>12. Ecological information</b>
-----------------------------------

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**  
**Product:** No data available.

**Specified substance(s):**  
ANATASE (TiO<sub>2</sub>) LC<sub>0</sub> (Leuciscus idus): 1,000 mg/l  
TITANIUM DIOXIDE LC<sub>0</sub> (Leuciscus idus, 48 h): > 1,000 mg/l

**Aquatic Invertebrates**  
**Product:** No data available.

**Chronic hazards to the aquatic environment:**

**Fish**

## ASPHALT BLEED BLOCKER

**Product:** No data available.

### Aquatic Invertebrates

**Product:** No data available.

### Toxicity to Aquatic Plants

**Product:** No data available.

## Persistence and Degradability

### Biodegradation

**Product:** No data available.

### Specified substance(s):

TITANIUM DIOXIDE 0 %

### BOD/COD Ratio

**Product:** No data available.

## Bioaccumulative potential

### Bioconcentration Factor (BCF)

**Product:** No data available.

### Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

### Known or predicted distribution to environmental compartments

CALCIUM CARBONATE No data available.

ANATASE (TiO<sub>2</sub>) No data available.

TITANIUM DIOXIDE No data available.

(1) QUARTZ No data available.

**Other adverse effects:** No data available.

## 13. Disposal considerations

### General information:

The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

---

**ASPHALT BLEED BLOCKER**

---

**Disposal instructions:** Disposal should be made in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of as unused product.

**14. Transport information**

**DOT**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

**Special precautions for user:** This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Delayed (Chronic) Health Hazard

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

---

**ASPHALT BLEED BLOCKER**

**SARA 311/312 Hazardous Chemical**

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
CALCIUM CARBONATE	10000 lbs
ANATASE (TiO <sub>2</sub> )	10000 lbs
TITANIUM DIOXIDE	10000 lbs
(1) QUARTZ	10000 lbs

**SARA 313 (TRI Reporting)**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

ANATASE (TiO <sub>2</sub> )	Carcinogenic.
TITANIUM DIOXIDE	Carcinogenic.
(1) QUARTZ	Carcinogenic.
carbon black	Carcinogenic.

**US. New Jersey Worker and Community Right-to-Know Act**

<u>Chemical Identity</u>
CALCIUM CARBONATE
Water
Vendor Trade Secret Acrylic polymer
ANATASE (TiO <sub>2</sub> )
TITANIUM DIOXIDE
(1) QUARTZ

**US. Massachusetts RTK - Substance List**

<u>Chemical Identity</u>
CALCIUM CARBONATE
ANATASE (TiO <sub>2</sub> )
TITANIUM DIOXIDE
(1) QUARTZ

**US. Pennsylvania RTK - Hazardous Substances**

<u>Chemical Identity</u>
CALCIUM CARBONATE
ANATASE (TiO <sub>2</sub> )
TITANIUM DIOXIDE

**ASPHALT BLEED BLOCKER**

**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**Inventory Status:**

US TSCA Inventory:	y (positive listing)	Remarks: None.
Australia AICS:	Not in compliance with the inventory.	Remarks: None.
Canada DSL Inventory List:	Not in compliance with the inventory.	Remarks: None.
EINECS, ELINCS or NLP:	Not in compliance with the inventory.	Remarks: None.
Japan (ENCS) List:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	Not in compliance with the inventory.	Remarks: None.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.	Remarks: None.
Mexico INSQ:	Not in compliance with the inventory.	Remarks: None.
Ontario Inventory:	Not in compliance with the inventory.	Remarks: None.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.	Remarks: None.

**16. Other information, including date of preparation or last revision**

**HMIS Hazard ID**

<b>Health</b>	*	1
<b>Flammability</b>		1
<b>Physical Hazards</b>		0
<b>PERSONAL PROTECTION</b>		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 02/16/2017

**Revision Date:** No data available.

---

**ASPHALT BLEED BLOCKER**

**Version #:** 1.0

**Further Information:** No data available.

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives.  
Keep out of the reach of children.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, \*, and TM indicate trademarks owned by or licensed to Momentive.