

Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

# SAFETY DATA SHEET

#### 1. Identification

Product identifier: RapidStrength RGS7700B 5GP

Other means of identification

Synonyms: Silicone Rubber Sealant - Component B

Recommended use and restriction on use

Recommended use: Industrial use Restrictions on use: Not known.

ibutor Information

Manufacturer/Importer/Distr : Momentive Performance Materials LLC

260 Hudson River Road

Waterford NY 12188

Contact person : commercial.services@momentive.com

**Telephone** : General information

+1-800-295-2392

**Emergency telephone** 

number

Supplier CHEMTREC

1-800-424-9300

# 2. Hazard(s) identification

# **Hazard Classification**

#### **Health Hazards**

Serious Eye Damage/Eye Irritation Category 1 Respiratory sensitizer Category 1 Skin sensitizer Category 1 Toxic to reproduction Category 1B

#### **Unknown toxicity - Health**

Acute toxicity, oral	3.51 %
Acute toxicity, dermal	3.51 %
Acute toxicity, inhalation, vapor	3.51 %
Acute toxicity, inhalation, dust or mist	3.51 %

1/16 SDS US



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** H318; Causes serious eye damage.

H334; May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H317; May cause an allergic skin reaction. H360; May damage fertility or the unborn child.

Precautionary Statements

**Prevention:** Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray. [In case of inadequate ventilation] wear respiratory protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Response: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor/... IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor/... Specific treatment (see this label). Wash

contaminated clothing before reuse.

Storage: Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

#### 3. Composition/information on ingredients

SDS\_US 2/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*	Notes
Treated Fumed Silica	68583-49-3	10 - <20%	No data available.
TETRA-N-PROPYL-SILICATE	682-01-9	10 - <20%	No data available.
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	10 - <20%	No data available.
Tris(3(trimethoxysilyl)propyl)is ocyanurate	26115-70-8	1 - <5%	No data available.
Octamethylcyclotetrasiloxane	556-67-2	0.1 - <1%	No data available.
Dibutyltin Dilaurate	77-58-7	0.3 - <1%	# This substance has workplace exposure limit(s).
(1) Carbon Black	1333-86-4	0.1 - <1%	# This substance has workplace exposure limit(s).
1,2-Ethylenediamine	107-15-3	0.1 - <1%	# This substance has workplace exposure limit(s).

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

#### 4. First-aid measures

**Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical

advice. Never give liquid to an unconscious person.

**Inhalation:** Move to fresh air. Get medical attention if symptoms persist.

**Skin Contact:** Wash area with soap and water. Get medical attention if symptoms occur.

Eye contact: In the event of contact with the eyes, rinse thoroughly with clean water. Get

medical attention if any discomfort continues.

Most important symptoms/effects, acute and delayed

**Symptoms:** None known.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

SDS\_US 3/16



Revision Date: 05/26/2017

#### RapidStrength RGS7700B 5GP

**Treatment:** Treatment is symptomatic and supportive.

#### 5. Fire-fighting measures

**General Fire Hazards:** Self-contained breathing apparatus and full protective clothing must be

worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical:

In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to exidetive degradation.

due to oxidative degradation.

#### Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Keep away from sources of ignition - No smoking. All equipment used when

handling the product must be grounded.

Special protective equipment

for fire-fighters:

Firefighters must wear NIOSH/MSHA approved positive pressure selfcontained breathing apparatus with full face mask and full protective

clothing.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Caution: Contaminated surfaces may be slippery. Keep unprotected persons away. Avoid contact with skin and eyes. Use personal protective equipment. Keep out of reach of children.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

**Notification Procedures:** 

Remove sources of ignition. Pay attention to the risk of combustion by fire or other sources of ignition.

SDS\_US 4/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

**Environmental Precautions:** Do not allow runoff to sewer, waterway or ground.

# 7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Do not get in eyes, on skin,

on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal

Protective Equipment.

Conditions for safe storage,

including any incompatibilities:

Keep in a cool, ventilated location far from heat source and flame Keep container closed. Use original container or packaging of similar material of

construction

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limi	t Values	Source
Dibutyltin Dilaurate - as Sn	STEL		0.2 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
-	TWA		0.1 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	REL		0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL		0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA		0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) Carbon Black - Inhalable fraction.	TWA		3 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) Carbon Black	REL		0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL		3.5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL		3.5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA		3.5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Ethylenediamine	TWA	10 ppm		US. ACGIH Threshold Limit Values (03 2015)
	REL	10 ppm	25 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	10 ppm	25 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 ppm	25 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering Controls

Provide eyewash station and safety shower. Local exhaust is recommended. Observe good industrial hygiene practices.

SDS\_US 5/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

# Individual protection measures, such as personal protective equipment

**General information:** No data available.

**Eye/face protection:** Safety glasses with side shields

**Skin Protection** 

Hand Protection: Chemical resistant gloves

**Other:** Wear suitable protective clothing and eye/face protection.

**Respiratory Protection:** If exposure limits are exceeded or respiratory irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA

regulations (see 29CFR 1910.134).

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat, drink or smoke.

#### 9. Physical and chemical properties

#### **Appearance**

Physical state: liquid
Form: liquid
Color: Black
Odor: amine like

Odor threshold:

pH:

not applicable

Melting point/freezing point:

Initial boiling point and boiling range:

not applicable

not applicable

Flash Point: ca. 116 °C (Open Cup)

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

Vapor pressure: not applicable

SDS\_US 6/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

Vapor density: No data available.

Density: ca. 1 g/cm3
Relative density: ca. 1.0

Solubility(ies)

Solubility in water: Insoluble
Solubility (other): partly soluble
Partition coefficient (n-octanol/water) Log No data available.

Pow:

Auto-ignition temperature:No data available.Decomposition temperature:No data available.SADT:No data available.Viscosity, dynamic:No data available.Viscosity, kinematic:No data available.

**VOC:** 145 g/l

# 10. Stability and reactivity

**Reactivity:** No dangerous reaction if used as recommended.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerisation does not occur.

**Conditions to avoid:** Keep away from sources of ignition - No smoking.

Incompatible Materials: Reacts with water forming ethanol. Avoid contact with acids and oxidizing

substances.

**Hazardous Decomposition** 

Products:

Carbon dioxide Silicon dioxide. Amines. Ethanol. Formaldehyde.

# 11. Toxicological information

Information on likely routes of exposure

**Ingestion:** No data available.

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

Symptoms related to the physical, chemical and toxicological characteristics

**Ingestion:** No data available.

SDS\_US 7/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

# Information on toxicological effects

# Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 8,535.19 mg/kg

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane

LD 50 (Rat): 2,995 mg/kg

Tris(3(trimethoxysilyl)pro

pyl)isocyanurate

LD 50 (Rat, No data available.): 2,346 mg/kg

Octamethylcyclotetrasilox

ane

LD 50 (Rat): 4,800 mg/kg

Dibutyltin Dilaurate LD 50 (Rat, male and female): 2,071 mg/kg

Dermal

**Product:** ATEmix: 17,968.48 mg/kg

Specified substance(s):

Aminoethyl aminopropyl

trimethoxy silane

LD 50 (Rabbit): > 2,000 mg/kg

Tris(3(trimethoxysilyl)pro

pyl)isocyanurate

LD 50 (Rabbit, No data available.): 18,000 mg/kg

Octamethylcyclotetrasilox

ane

LD 50 (Rat): > 2,400 mg/kg

Dibutyltin Dilaurate LD 50 (Rat, ): > 2,000 mg/kg

Inhalation

**Product:** ATEmix: 13.48 mg/l

SDS\_US 8/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

Specified substance(s):

Octamethylcyclotetrasilox

LC50 (Rat): 36 mg/l

ane

Dibutyltin Dilaurate LC50 (Rat, ): 10 mg/l

Repeated dose toxicity

**Product:** No data available.

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane

NOAEL (Rat, Oral, 28 d): >= 500 mg/kg

Skin Corrosion/Irritation

**Product:** Irritating to skin.

Serious Eye Damage/Eye Irritation

**Product:** Causes eye irritation.

Respiratory or Skin Sensitization

**Product:** No data available.

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

SDS\_US 9/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

Specified substance(s):

ane typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology:

Micronucleus Test)) Inhalation (Rat, male and female): negative

Reproductive toxicity

ane

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: Product releases amine vapors during cure. Contains dibutyl tin dilaurate

which may cause birth defects and reproductive effects based on animal

data.

# 12. Ecological information

# **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Aminoethyl aminopropyl

trimethoxy silane

LC50 (Lepomis macrochirus): > 100 mg/l

**Aquatic Invertebrates** 

**Product:** No data available.

SDS\_US 10/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

Specified substance(s):

Aminoethyl aminopropyl

trimethoxy silane

EC50 (Daphnia magna, 48 h): 87.4 mg/l

Dibutyltin Dilaurate EC50 (Daphnia magna, 48 h): < 0.463 mg/l Fresh water

Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): 8.8 mg/l NOEC (Algae (Pseudokirchneriella subcapitata)): 3.1 mg/l

Persistence and Degradability

Biodegradation

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox

ane

3.7 % (29 d, 310 Ready Biodegradability - CO<sub>2</sub> in Sealed Vessels

(Headspace Test)) Not readily biodegradable.

Dibutyltin Dilaurate 23 % (39 d) The product is not readily biodegradable.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Octamethylcyclotetrasilox Fathead Minnow, Bioconcentration Factor (BCF): 12.40

ane

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

SDS\_US 11/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Treated Fumed Silica No data available. TETRA-N-PROPYL- No data available.

**SILICATE** 

Aminoethyl aminopropyl No data available.

trimethoxy silane

Tris(3(trimethoxysilyI)propyl

)isocyanurate

Dibutyltin Dilaurate

1,2-Ethylenediamine

(1) Carbon Black

Octamethylcyclotetrasiloxa

ne

No data available.

No data available.

No data available. No data available. No data available.

Other adverse effects: No data available.

# 13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever

possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

**Disposal instructions:** Disposal should be made in accordance with federal, state and local

regulations.

Contaminated Packaging: Dispose of as unused product.

# 14. Transport information

#### DOT

Not regulated.

#### IMDG

Not regulated.

#### IATA

Not regulated.

**Special precautions for user:** This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods.

SDS US 12/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

# 15. Regulatory information

#### **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

#### **CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### **SARA 304 Emergency Release Notification**

None present or none present in regulated quantities.

# SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Treated Fumed Silica	10000 lbs
TETRA-N-PROPYL-	10000 lbs
SILICATE	
Aminoethyl aminopropyl	10000 lbs
trimethoxy silane	
Tris(3(trimethoxysilyl)prop	10000 lbs
yl)isocyanurate	
Octamethylcyclotetrasiloxa	10000 lbs
ne	
Dibutyltin Dilaurate	10000 lbs
(1) Carbon Black	10000 lbs
1,2-Ethylenediamine	10000 lbs

# SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

# Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### **US State Regulations**

SDS\_US 13/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

# **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Methanol Maximum Allowable Dose Level

(MADL): 47000 μg/day.

Developmental toxin.

(1) Carbon Black Carcinogenic.

#### US. New Jersey Worker and Community Right-to-Know Act

#### **Chemical Identity**

SILOXANES AND SILICONES, DI-ME TETRA-N-PROPYL-SILICATE
Aminoethyl aminopropyl trimethoxy silane Vendor Trade Secret for 06913
Tris(3(trimethoxysilyl)propyl)isocyanurate Octamethylcyclotetrasiloxane
Dibutyltin Dilaurate
1,2-Ethylenediamine

# **US. Massachusetts RTK - Substance List**

#### **Chemical Identity**

1,2-Ethylenediamine

#### US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

# **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

SDS US 14/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

# **Inventory Status:**

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
EU ELINCS List:	n (Negative listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing	n (Negative listing)	Remarks: None.
Chemical Substances:		
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
New Zealand Inventory of	n (Negative listing)	Remarks: None.
Chemicals:		
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
EU No Longer Polymers List:	n (Negative listing)	Remarks: None.
Taiwan. Taiwan inventory (CSNN):	n (Negative listing)	Remarks: None.

# 16.Other information, including date of preparation or last revision

#### **HMIS Hazard ID**



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; \*Chronic health effect

**Issue Date:** 05/26/2017

Revision Date: No data available.

**Version #:** 1.13

Further Information: No data available.

SDS\_US 15/16



Revision Date: 05/26/2017

# RapidStrength RGS7700B 5GP

Disclaimer:

#### Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

#### **Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,\*, and TM indicate trademarks owned by or licensed to Momentive.

SDS\_US 16/16