

Product Certification

GE SCS1200 Construction silicone glazing sealants are manufactured by Momentive under strict quality control guidelines and in accordance with the ISO 9001:2008 standard. SCS1200 Construction silicone glazing sealants are manufactured in the following Momentive facility:

Momentive Performance Materials
260 Hudson River Road
Waterford, NY 12188 USA

GE SCS1200 Construction sealants conform to the typical performance properties as stated in its current product data sheet.

American Society for Testing & Materials International:

- ASTM C920 Standard Specification for Elastomeric Joint Sealants;
- ASTM C1184 Standard Specification for Structural Silicone Sealants; Type S, Grade NS, Class 25, Use A, G

U.S. Federal Specifications: (cancelled Sept. 1996)

- TT-S-001543A Sealing Compound: Silicone Rubber Base (for Caulking, Sealing & Glazing in Buildings and Other Structures)
- TT-S-00230C Sealing Compound: Elastomeric Type, Single Component (for Caulking, Sealing & Glazing in Buildings and Other Structures)

U.S. Department of Agriculture:

- 21 CFR 177.2600 Rubber Articles Intended For Repeated Use;
- Chemically acceptable for use on surfaces in official establishments operating under the Federal Meat and Poultry Inspection Program.

U.S. Food and Drug Administration:

- SCS1201, SCS1202 and SCS1203 Construction may be used in food contact applications under 21 CFR 175.105 Adhesives, 175.300 Resinous and Polymeric Coatings.
- SCS1209 Construction may be used in food applications under 21 CFR 175.300 Resinous and Polymeric Coatings

Canadian General Standards Board: (inactive)

- CGSB-19.13-M87 Sealing Compound, One-Component, Elastomeric, Chemical Curing

National Science Foundation:

- NSF/ANSI STANDARD 51 “Food Equipment Materials”

GE SCS1200 Construction does not contain asbestos or lead.

