

RapidStrengthRGS7700B

SAFETY DATA SHEET

1. Identification

Product identifier: RapidStrengthRGS7700B

Other means of identification

Synonyms: Silicone Rubber Sealant - Component B

Recommended use and restriction on use

Recommended use: Industrial use

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information : Momentive Performance Materials LLC
260 Hudson River Road
Waterford NY 12188

Contact person : commercial.services@momentive.com

Telephone : General information
+1-800-295-2392

Emergency telephone number Supplier : CHEMTREC
1-800-424-9300

2. Hazard(s) identification

Hazard Classification

Health Hazards

Serious Eye Damage/Eye Irritation	Category 1
Respiratory sensitizer	Category 1
Skin sensitizer	Category 1
Toxic to reproduction	Category 1B

Unknown toxicity - Health

Acute toxicity, oral	3.51 %
Acute toxicity, dermal	3.51 %
Acute toxicity, inhalation, vapor	3.51 %
Acute toxicity, inhalation, dust or mist	3.51 %

RapidStrengthRGS7700B

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: H318; Causes serious eye damage.
H334; May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317; May cause an allergic skin reaction.
H360; May damage fertility or the unborn child.

Precautionary Statements

Prevention: Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. [In case of inadequate ventilation] wear respiratory protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

Response: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor/... IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor/... Specific treatment (see this label). Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None.

3. Composition/information on ingredients

RapidStrengthRGS7700B

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	Notes
Treated Fumed Silica	68583-49-3	10 - <20%	No data available.
TETRA-N-PROPYL-SILICATE	682-01-9	10 - <20%	No data available.
Aminoethyl aminopropyl trimethoxy silane	1760-24-3	10 - <20%	No data available.
Tris(3(trimethoxysilyl)propyl)isocyanurate	26115-70-8	1 - <5%	No data available.
Octamethylcyclotetrasiloxane	556-67-2	0.1 - <1%	No data available.
Dibutyltin Dilaurate	77-58-7	0.3 - <1%	# This substance has workplace exposure limit(s).
(1) Carbon Black	1333-86-4	0.1 - <1%	# This substance has workplace exposure limit(s).
1,2-Ethylenediamine	107-15-3	0.1 - <1%	# This substance has workplace exposure limit(s).

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

4. First-aid measures

- Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice. Never give liquid to an unconscious person.
- Inhalation:** Move to fresh air. Get medical attention if symptoms persist.
- Skin Contact:** Wash area with soap and water. Get medical attention if symptoms occur.
- Eye contact:** In the event of contact with the eyes, rinse thoroughly with clean water. Get medical attention if any discomfort continues.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

RapidStrengthRGS7700B

Treatment: Treatment is symptomatic and supportive.

5. Fire-fighting measures

General Fire Hazards: Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: All standard extinguishing agents are suitable.

Unsuitable extinguishing media: Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical: In case of fire, carbon monoxide and carbon dioxide may be formed. Acute overexposure to the products of combustion may result in irritation of the respiratory tract. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Keep away from sources of ignition - No smoking. All equipment used when handling the product must be grounded.

Special protective equipment for fire-fighters: Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Caution: Contaminated surfaces may be slippery. Keep unprotected persons away. Avoid contact with skin and eyes. Use personal protective equipment. Keep out of reach of children.

Methods and material for containment and cleaning up: Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

Notification Procedures: Remove sources of ignition. Pay attention to the risk of combustion by fire or other sources of ignition.

RapidStrengthRGS7700B

Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

7. Handling and storage

Precautions for safe handling: Sensitivity to static discharge is not expected. Do not get in eyes, on skin, on clothing. Do not taste or swallow. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities: Keep in a cool, ventilated location far from heat source and flame Keep container closed. Use original container or packaging of similar material of construction

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Dibutyltin Dilaurate - as Sn	STEL	0.2 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	TWA	0.1 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	0.1 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
(1) Carbon Black - Inhalable fraction.	TWA	3 mg/m3	US. ACGIH Threshold Limit Values (03 2015)
(1) Carbon Black	REL	0.1 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	3.5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	3.5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	3.5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Ethylenediamine	TWA	10 ppm	US. ACGIH Threshold Limit Values (03 2015)
	REL	10 ppm 25 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	10 ppm 25 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	10 ppm 25 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)

This product contains one or more substances with an occupational exposure limit. However, the respirable particle(s) of this/these substance(s) are inextricably bound within the polymer matrix. Therefore, we do not expect an exposure to this/these substance(s) during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

Appropriate Engineering Controls Provide eyewash station and safety shower. Local exhaust is recommended. Observe good industrial hygiene practices.

RapidStrengthRGS7700B

Individual protection measures, such as personal protective equipment

General information:	No data available.
Eye/face protection:	Safety glasses with side shields
Skin Protection	
Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing and eye/face protection.
Respiratory Protection:	If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).
Hygiene measures:	Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat, drink or smoke.

9. Physical and chemical properties
--

Appearance

Physical state:	liquid
Form:	liquid
Color:	Black
Odor:	amine like
Odor threshold:	No data available.
pH:	not applicable
Melting point/freezing point:	not applicable
Initial boiling point and boiling range:	not applicable
Flash Point:	ca. 116 °C (Open Cup)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Heat of combustion:	No data available.
Vapor pressure:	not applicable

RapidStrengthRGS7700B

Vapor density:	No data available.
Density:	ca. 1 g/cm ³
Relative density:	ca. 1.0
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	partly soluble
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
VOC:	145 g/l

10. Stability and reactivity

Reactivity:	No dangerous reaction if used as recommended.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation does not occur.
Conditions to avoid:	Keep away from sources of ignition - No smoking.
Incompatible Materials:	Reacts with water forming ethanol. Avoid contact with acids and oxidizing substances.
Hazardous Decomposition Products:	Carbon dioxide Silicon dioxide. Amines. Ethanol. Formaldehyde.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
-------------------	--------------------

RapidStrengthRGS7700B

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 8,535.19 mg/kg

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane LD 50 (Rat): 2,995 mg/kg

Tris(3(trimethoxysilyl)propyl)isocyanurate LD 50 (Rat, No data available.): 2,346 mg/kg

Octamethylcyclotetrasiloxane LD 50 (Rat): 4,800 mg/kg

Dibutyltin Dilaurate LD 50 (Rat, male and female): 2,071 mg/kg

Dermal

Product: ATEmix: 17,968.48 mg/kg

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane LD 50 (Rabbit): > 2,000 mg/kg

Tris(3(trimethoxysilyl)propyl)isocyanurate LD 50 (Rabbit, No data available.): 18,000 mg/kg

Octamethylcyclotetrasiloxane LD 50 (Rat): > 2,400 mg/kg

Dibutyltin Dilaurate LD 50 (Rat,): > 2,000 mg/kg

Inhalation

Product: ATEmix: 13.48 mg/l

RapidStrengthRGS7700B

Specified substance(s):

Octamethylcyclotetrasiloxane LC50 (Rat): 36 mg/l

Dibutyltin Dilaurate LC50 (Rat,): 10 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane NOAEL (Rat, Oral, 28 d): >= 500 mg/kg

Skin Corrosion/Irritation

Product: Irritating to skin.

Serious Eye Damage/Eye Irritation

Product: Causes eye irritation.

Respiratory or Skin Sensitization

Product: No data available.

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

RapidStrengthRGS7700B

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane
Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)
Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

In vivo

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane
Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects:

Product releases amine vapors during cure. Contains dibutyl tin dilaurate which may cause birth defects and reproductive effects based on animal data.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane
LC50 (Lepomis macrochirus): > 100 mg/l

Aquatic Invertebrates

Product: No data available.

RapidStrengthRGS7700B

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane EC50 (Daphnia magna, 48 h): 87.4 mg/l

Dibutyltin Dilaurate EC50 (Daphnia magna, 48 h): < 0.463 mg/l Fresh water

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s):

Aminoethyl aminopropyl trimethoxy silane EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): 8.8 mg/l
 NOEC (Algae (Pseudokirchneriella subcapitata)): 3.1 mg/l

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane 3.7 % (29 d, 310 Ready Biodegradability - CO₂ in Sealed Vessels (Headspace Test)) Not readily biodegradable.

Dibutyltin Dilaurate 23 % (39 d) The product is not readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane Fathead Minnow, Bioconcentration Factor (BCF): 12.40

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

RapidStrengthRGS7700B

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Treated Fumed Silica	No data available.
TETRA-N-PROPYL-SILICATE	No data available.
Aminoethyl aminopropyl trimethoxy silane	No data available.
Tris(3(trimethoxysilyl)propyl)isocyanurate	No data available.
Octamethylcyclotetrasiloxane	No data available.
Dibutyltin Dilaurate	No data available.
(1) Carbon Black	No data available.
1,2-Ethylenediamine	No data available.

Other adverse effects: No data available.

13. Disposal considerations

General information: The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal instructions: Disposal should be made in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of as unused product.

14. Transport information

DOT
Not regulated.

IMDG
Not regulated.

IATA
Not regulated.

Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

RapidStrengthRGS7700B

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Treated Fumed Silica	10000 lbs
TETRA-N-PROPYL-SILICATE	10000 lbs
Aminoethyl aminopropyl trimethoxy silane	10000 lbs
Tris(3(trimethoxysilyl)propyl)isocyanurate	10000 lbs
Octamethylcyclotetrasiloxane	10000 lbs
Dibutyltin Dilaurate	10000 lbs
(1) Carbon Black	10000 lbs
1,2-Ethylenediamine	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

RapidStrengthRGS7700B

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Methanol	Maximum Allowable Dose Level (MADL): 47000 µg/day. Developmental toxin.
(1) Carbon Black	Carcinogenic.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

SILOXANES AND SILICONES, DI-ME
TETRA-N-PROPYL-SILICATE
Aminoethyl aminopropyl trimethoxy silane
Vendor Trade Secret for 06913
Tris(3(trimethoxysilyl)propyl)isocyanurate
Octamethylcyclotetrasiloxane
Dibutyltin Dilaurate
1,2-Ethylenediamine

US. Massachusetts RTK - Substance List

Chemical Identity

1,2-Ethylenediamine

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

RapidStrengthRGS7700B

Inventory Status:

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
EU ELINCS List:	n (Negative listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	n (Negative listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
New Zealand Inventory of Chemicals:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
EU No Longer Polymers List:	n (Negative listing)	Remarks: None.
Taiwan. Taiwan inventory (CSNN):	n (Negative listing)	Remarks: None.

16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	*	3
Flammability	1	
Physical Hazards	1	
PERSONAL PROTECTION		

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

Issue Date: 05/26/2017
Revision Date: No data available.
Version #: 1.13
Further Information: No data available.

RapidStrengthRGS7700B

Disclaimer:

Notice to reader

Unless otherwise specified in section 1, Momentive products are intended for use in the manufacture and/or formulation of products and are not intended for direct consumer use. These products are not intended for long-lasting (> 30 days) implantation, injection or direct ingestion into the human body, nor for use in the manufacture of multiple use contraceptives. Keep out of the reach of children.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safehandling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.