




Silicone Sealant for Marine Applications

Information on GE SilPruf* SCS2000 Silicone Adhesive/Sealant

SCS2000 is a versatile, ready-to-use, single-component silicone sealant that has found wide use in sealing, bedding, bonding and glazing applications of private and commercial watercraft. Commercialized in 1974, this product has structural capability and is a candidate for bonding of windshields, ports and hatches. SCS2000 has demonstrated successful long-term durability with a 30-year life expectancy in many applications. Based on 100% silicone polymer, SCS2000 is inherently UV resistant and is impervious to freezing, thawing, salt water, natural weathering and direct sunlight. The cured rubber will not crack, split or harden over time and will remain elastic from $-48^{\circ}\text{C}/-55^{\circ}\text{F}$ to $149^{\circ}\text{C}/300^{\circ}\text{F}$ and up to $204^{\circ}\text{C}/400^{\circ}\text{F}$ under intermittent short-term exposure.

SCS2000 can be applied in temperatures below freezing for winter repair projects and on surfaces up to $35^{\circ}\text{C}/122^{\circ}\text{F}$ in summer conditions. Instructions for surface preparation, use and installation are provided in the product datasheet, available at www.siliconeforbuilding.com.





Compatible Substrates

SCS2000 attains strong adhesive bonds (without the need for primer) to a number of surfaces, including:

- Polyester and vinylester fiberglass resin composites
- Gelcoat
- Glass and glass frits
- Polycarbonate and acrylic sheet
- Various woods, metals and plastics

The above results should be verified at point of use.

Available Colors

SCS2000 is currently available in 13 standard colors, including white, black and four shades of grey. For a full list of color options, visit www.siliconeforbuilding.com and navigate to the SCS2000 product page or product datasheet.



THE MATERIALS, PRODUCTS AND SERVICES OF MOMENTIVE PERFORMANCE MATERIALS INC. AND ITS SUBSIDIARIES AND AFFILIATES (COLLECTIVELY "SUPPLIER"), ARE SOLD SUBJECT TO SUPPLIER'S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SUPPLIER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN SUPPLIER'S STANDARD CONDITIONS OF SALE, SUPPLIER AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user bears full responsibility for making its own determination as to the suitability of Supplier's materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Supplier's products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Supplier's standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Supplier. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Supplier covering