

Product Certification

GE SCS2000 SilPruf* silicone sealants are manufactured by Momentive under strict quality control guidelines and in accordance with the ISO 9001:2015 standard. SCS2000 SilPruf* silicone sealants are manufactured in the following Momentive facility:

Momentive Performance Materials
260 Hudson River Road
Waterford, NY 12188
USA

GE SCS2000 SilPruf* silicone sealants conform to the international standards as stated in its current product data sheet.

American Society for Testing & Materials International:

- C920 Standard Specification for Elastomeric Joint Sealants; Type S, Grade NS, Class 50, Use A, G, M, O, NT
- C1184 Standard Specification for Structural Silicone Sealants; Type S, Use A, G, O

U.S. Federal Specifications: (cancelled Sept. 1996)

- TT-S-001543A Sealing Compound: Silicone Rubber Base (for Caulking, Sealing & Glazing in Buildings and Other Structures)
- TT-S-00230C Sealing Compound: Elastomeric Type, Single Component (for Caulking, Sealing & Glazing in Buildings and Other Structures)

Canadian General Standards Board: (inactive)

- CGSB-19.13-M87 Sealing Compound, One-Component, Elastomeric, Chemical Curing

GE SCS2000 SilPruf* silicone sealants carry SWR Institute validation at +/-50% movement.

<http://www.swrionline.org/>

SCS2000 SilPruf* does not contain asbestos or lead.

