



Product Certification

GE SCS9000 SilPruf* NB non-staining silicone sealants are manufactured by Momentive under strict quality control guidelines and in accordance with the ISO 9001:2015 standard. SCS9000 SilPruf* NB non-staining silicone sealants are manufactured in the following Momentive facility:

Momentive Performance Materials Silicones BV
1 Plasticlaan 4600 AC
Bergen op Zoom
Netherlands

GE SCS9000 SilPruf* NB non-staining silicone sealants conform to the typical performance properties as stated in its current product data sheet.

American Society for Testing & Materials International:

- ASTM C920 Standard Specification for Elastomeric Joint Sealants; Type S, Grade NS, Class 50, Use A, G, M, O

U.S. Federal Specifications: (cancelled Sept. 1996)

- TT-S-001543A Sealing Compound: Silicone Rubber Base (for Caulking, Sealing & Glazing in Buildings and Other Structures)
- TT-S-00230C Sealing Compound: Elastomeric Type, Single Component (for Caulking, Sealing & Glazing in Buildings and Other Structures)

Canadian General Standards Board: (inactive)

- CGSB-19.13-M87 Sealing Compound, One-Component, Elastomeric, Chemical Curing

International Organization for Standardization

- ISO 11600 - Type G & F - 25 LM

GE SCS9000 SilPruf* NB silicone sealants carry SWR Institute validation at +/-50% movement. <http://www.swrionline.org/>

SCS9000 SilPruf* NB does not contain asbestos or lead

