



SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 08/19/2020

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product name : SPX WINDSHIELD WASH FLUID 0F

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Windshield Wash Fluid

Restrictions on use : Must not come into contact with food or be consumed.

1.3. Supplier



Pilot Thomas Logistics
204 North Rupert Street
Fort Worth, TX 76107 - USA
T 817.877.8300
www.pilotthomas.com

1.4. Emergency telephone number

Emergency number : PERS: 1-800-633-8253 Customer #1898

Operating hours 24 hours / 24 hours, 7 days a week

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Flammable liquids Category 3	H226 Flammable liquid and vapor
Acute toxicity (oral) Category 4	H302 Harmful if swallowed
Acute toxicity (dermal) Category 4	H312 Harmful in contact with skin
Acute toxicity (inhalation:dust,mist) Category 4	H332 Harmful if inhaled
Specific target organ toxicity (single exposure) Category 1	H370 Causes damage to organs (eyes, kidneys)

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS labeling

Hazard pictograms (GHS) :



Signal word (GHS) : Danger

Hazard statements (GHS US) : H226 - Flammable liquid and vapor
H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
H370 - Causes damage to organs (eyes, kidneys)

Precautionary statements (GHS) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical, lighting, ventilating equipment.
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P260 - Do not breathe the mist, spray, vapors.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear eye protection, protective gloves.
P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.
P302+P352 - If on skin: Wash with plenty of soap and water.
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P307+P311 - If exposed: Call a poison center/doctor.
P330 - Rinse mouth.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO₂), Dry chemical, Water spray to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS classification
Methanol	(CAS-No.) 67-56-1	≤ 22	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:dust,mist), H331 STOT SE 1, H370

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Call a doctor. Immediately move exposed subject to fresh air. If not breathing, give artificial respiration. If breathing is labored, administer oxygen. Immediately notify medical personnel and supervisor.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Wash exposed area with soap and water and remove contaminated clothing/shoes. If irritation occurs or persists, notify medical personnel and supervisor.

First-aid measures after eye contact : If easy to do, remove contact lenses, if worn. Immediately flush eyes with copious quantities of water for at least 15 minutes. If irritation occurs or persists, notify medical personnel and supervisor.

First-aid measures after ingestion : Rinse mouth. Call a physician immediately. If swallowed, call a physician immediately. Do not induce vomiting unless directed by medical personnel. Do not give anything to drink unless directed by medical personnel. Never give anything by mouth to an unconscious person. Notify medical personnel and supervisor.

4.2. Most important symptoms and effects (acute and delayed)

Effects on humans : Eye irritation. Toxic through inhalation, ingestion and skin contact. May cause blindness and damage kidneys.

Expected Symptoms/Effects, Acute and Delayed : See Sections 2 and 11.

SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Most Important Symptoms/Effects : Medical conditions aggravated by exposure: None known or reported. Treat symptomatically and supportively.

4.3. Immediate medical attention and special treatment, if necessary

Immediate specific treatment is necessary in case of poisoning.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use water spray (fog), foam, dry powder, or carbon dioxide, as appropriate for surrounding fire and materials.

Unsuitable extinguishing media : None known.

5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapor.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : In case of fire in the surroundings: use the appropriate extinguishing agent. Wear full protective clothing and an approved, positive pressure, self-contained breathing apparatus. Decontaminate all equipment after use.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Do not breathe mist, spray, vapors. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : If product is released or spilled, take proper precautions to minimize exposure by using appropriate personal protective equipment (see Section 8). Area should be adequately ventilated.

6.2. Environmental precautions

Do not empty into drains. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large Spills: Dike far ahead of spill for later disposal. Use a non-combustible material like cermiculite, sand, or earth to soak up the product and place into a container for later disposal. Exclude sources of ignition and ventilate the area. Use only non-sparking tools.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Sections 8 and 13 for more information.

SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not breathe mist, spray, vapors. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.
- Hygiene measures : Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.
- Incompatible products : Strong acids. Strong bases. Oxidizing agent.
- Heat-ignition : Keep away from heat, sparks and flame.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SPX WINDSHIELD WASH FLUID	
No additional information available	
Methanol (67-56-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Methanol
ACGIH TWA (mg/m ³)	262 mg/m ³
ACGIH TWA (ppm)	200 ppm
ACGIH STEL (mg/m ³)	327 mg/m ³
ACGIH STEL (ppm)	250 ppm
Remark (ACGIH)	Headache; eye dam; dizziness; nausea
USA - OSHA - Occupational Exposure Limits	
Local name	Methyl alcohol
OSHA PEL (TWA) (mg/m ³)	260 mg/m ³
OSHA PEL (TWA) (ppm)	200 ppm

8.2. Appropriate engineering controls

- Appropriate engineering controls : Either local exhaust or general room ventilation is usually required. Minimize exposure by partial enclosure of the operation or equipment and provide extract ventilation at openings.
- Environmental exposure controls : Avoid release to the environment and operate within closed systems wherever practicable. Air and liquid emissions should be directed to appropriate pollution control devices. In case of spill, do not release to drains. Implement appropriate and effective emergency response procedures to prevent release or spread of contamination and to prevent inadvertent contact by personnel.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves. neoprene/butyl rubber; breakthrough time is > 480 minutes. Nitrile rubber gloves; short term

Eye protection:

Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product. Use splash goggles when eye contact due to splashing is possible

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear respiratory protection. An approved organic vapor respirator/supplied air or self-contained breathing apparatus must be used when vapor concentration exceeds applicable exposure limits

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Blue liquid.
Color	: Blue
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 41 °C (Ref: 2004 IChemE; Symposium Series No. 150; Flash Points of Aqueous Solutions of Flammable Solvents.)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Miscible with water.
Log Pow	: -0.77 (Methanol)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with : Strong acids. strong bases. Strong oxidizing agents.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Harmful in contact with skin.
Acute toxicity (inhalation) : Harmful if inhaled.

ATE (oral)	400 mg/kg body weight
ATE (dermal)	1200 mg/kg body weight
ATE (dust, mist)	2 mg/l/4h

Methanol (67-56-1)

ATE (oral)	100 mg/kg body weight
ATE (dermal)	300 mg/kg body weight
ATE (dust, mist)	0.5 mg/l/4h

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified (Inconclusive data)
STOT-single exposure : Causes damage to organs (eyes, kidneys).

Methanol (67-56-1)

STOT-single exposure	Causes damage to organs.
----------------------	--------------------------

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Likely routes of exposure : May be absorbed by inhalation, skin contact and ingestion.

Effects on humans : Eye irritation. Toxic through inhalation, ingestion and skin contact. May cause blindness and damage kidneys.

Expected Symptoms/Effects, Acute and Delayed : See Sections 2 and 11.

Most Important Symptoms/Effects : Medical conditions aggravated by exposure: None known or reported. Treat symptomatically and supportively.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

SPX WINDSHIELD WASH FLUID	
Log Kow	-0.77 (Methanol)

12.4. Mobility in soil

No additional information available

SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Used product should be disposed of according to local, state, and federal regulations. All wastes containing the material should be properly labeled. Dispose of wastes in accordance to prescribed federal, state, and local guidelines, e.g. appropriately permitted chemical waste incinerator. Rinse waters resulting from spill cleanups should be discharged in an environmentally safe manner, e.g. appropriately permitted municipal or on-site wastewater treatment facility.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1987 Alcohols, n.o.s. (Methanol), 3, III
UN-No.(DOT) : UN1987
Proper Shipping Name (DOT) : Alcohols, n.o.s.
Methanol
Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT) : III - Minor Danger
Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Special Provisions (49 CFR 172.102) : 172 - This entry includes alcohol mixtures containing up to 5% petroleum products.
B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.
IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)
TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
TP29 - A portable tank having a minimum test pressure of 1.5 bar (150.0 kPa) may be used provided the calculated test pressure is 1.5 bar or less based on the MAWP of the hazardous materials, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx) : 4b, 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 220 L
DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number : 127
Other information : No supplementary information available.

SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Special transport precautions : Avoid release to the environment.

Transport by sea

Transport document description (IMDG) : UN 1987 ALCOHOLS, N.O.S. (Methanol), 3, III
UN-No. (IMDG) : 1987
Proper Shipping Name (IMDG) : ALCOHOLS, N.O.S.
Class (IMDG) : 3 - Flammable liquids
Packing group (IMDG) : III - substances presenting low danger
Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 1987 ALCOHOLS, N.O.S. (Methanol), 3, III
UN-No. (IATA) : 1987
Proper Shipping Name (IATA) : ALCOHOLS, N.O.S.
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

SPX WINDSHIELD WASH FLUID

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Methanol	CAS-No. 67-56-1	≤ 22%
----------	-----------------	-------

Methanol (67-56-1)

Listed on EPA Hazardous Air Pollutant (HAPS)

CERCLA RQ	5000 lb
-----------	---------

15.2. International regulations

CANADA

Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Methanol (67-56-1)


Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Methanol (67-56-1)

Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC).
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on Taiwan National Chemical Inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on Chinese List of Hazardous Chemicals for Priority Management-SAWS
Listed on the Chinese Catalog of Hazardous Chemicals.
Listed on the Korean ECL (Existing Chemicals List)

15.3. US State regulations

 **WARNING:** This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SPX WINDSHIELD WASH FLUID 0F

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Methanol(67-56-1)	U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources : Information from published literature and internal company data.

Full text of H-phrases:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H331	Toxic if inhaled
H332	Harmful if inhaled
H370	Causes damage to organs

Abbreviations and acronyms:

ACGIH - American Conference of Governmental Industrial Hygienists; CAS# - Chemical Abstract Services Number; CLP - Classification, Labelling, and Packaging of Substances and Mixtures; EU - European Union; GHS - Globally Harmonized System of Classification and Labeling of Chemicals; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; OEL - Occupational Exposure Limit; OSHA - Occupational Safety and Health Administration; SARA - Superfund Amendments and Reauthorization Act; STOT - Specific Target Organ Toxicity; STEL - Short Term Exposure Limit; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average;

Indication of changes:

Original document.

SDS US (GHS HazCom 2012)

SDS prepared by:

The Redstone Group dba SafeBridge Consultants, Inc.

110 Polaris Pkwy Suite 200

Westerville, OH 43082

www.trinityconsultants.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.