

SPX ETHYLENE GLYCOL

MONOETHYLENE GLYCOL

SPX Ethylene Glycol is clear, practically colorless and odorless, hygroscopic liquid at room temperature.

Applications

- Gas pipeline heaters
- Gas processing
- Gas/Air dehydration
- Natural gas storage
- Gas field gathering
- Line and bath heaters
- Waste heat recovery

TYPICAL PROPERTIES

Concentration	100%	80%	50%	30%
Appearance	Clear	Clear	Clear	Clear
Specific Gravity @ 70°F	1.1130	1.090	1.057	1.034
Density, lbs/gal @ 70°F	9.28	9.09	8.82	8.62
Freezing Point, °F(°C)	9(-13)	-51(-46)	-34(-37)	7.3(-14)
Boiling Point, °F(°C)	386(197)	260(127)	225(107)	220(104)
Ethylene Glycol, wt%	99.0 min	78 - 82	48 - 52	28 - 32
Diethylene Glycol, wt%	0.5 max	0.5 max	0.5 max	0.5 max
Other Glycols, wt%	0.1 max	0.1 max	0.1 max	0.1 max
Water, wt%	0.2 max	18 - 22	48 - 52	68 - 72

Minor variations in typical properties data are to be expected in normal manufacturing.

Health & Safety Information

For recommendations on safe handling and use of this product, please refer to the Safety Data Sheet (SDS).



Industrial



Web: www.pilotthomas.com

Email: info@spx-usa.com

Tel: 844.785.8326



Page: 1 of 1

Date: 10.22.21