





3D Printers for Jewelry Manufacturing Repeatable precision for quality assurance and productivity.






















Smart Positioning System (SPS)

Asiga's Smart Positioning System (SPS) is a series of positioning encoders that read the exact position of the build platform during every layer approach. This ensures that the next layer is exposed/formed only once the build platform target position has been reached. This is the first step in ensuring each layer is formed accurately.



Internal radiometer

An internal radiometer actively monitors LED intensity during each build ensuring the correct light exposure is delivered for every layer.

High power 405nm LED

For fast and accurate processing of a wide range of jewelry materials.

Small pixel and accurate pixel placement

Pixel size and pixel placement are important for reproducing digital data accurately to achieve a high level of detail definition, surface smoothness and precision.

Precise material curing

An Open Material System allows for any suitable material to be printed. Material curing parameters for each material are generated by Asiga ensuring materials are cured accurately for repeatable results.










4K mode

Using pixel shifting technology, Asiga's 4K mode reduces the pixel size to increase part accuracy and resolution without impacting build area or printing time.





Surface definition in **4K mode**



PRO4K

4K mode is available on all PRO 4K 3D printers only.







Open Material System

Over 380 optimized material profiles available via the Asiga Material Library online. Fully Open - print any suitable material from any manufacturer

Single Point Calibration

Calibrate printer in under 60 seconds

30 Second Material Change

Change-over materials in less than 30 seconds with no calibration required

Auto Power-Off

Energy saving mode and auto-recovery

Environmental Control

Onboard heater for reliable performance

Remote access and control

Streamlined integration into your digital workflow

Touch Screen Display

For greater user convenience







PRO 4K





Desktop | Highest Precision | Powerful











3D printers for jewelry manufacturing.







Volume production on your desktop.

Offering the largest print size in our desktop series, the MAX will reproduce the most delicate details for the production of jewelry patterns. The larger print volume accommodates bangles, watch components and large quantities of casting patterns in a single print.









•	
Build Volume X, Y, Z	119 x 67 x 76mm. 4.68 x 2.63 x 3 inches
Pixel Resolution	62μm
Technology	DLP
LED Wavelength	405nm (high power LED)
Material Compatibility	Open Material System. Over 400 validated materials available via Asiga's Material Library online.
material compatibility	Open Material Systems. Over 400 Validated Tracerials available via 25/8g 3 Material Estaty Online.
Production	Jewelry Manufacturing
Software	Asiga Composer software. Lifetime updates included
File inputs	STL, SLC, STM (Asiga Stomp file format)
Network Compatibility	Wifi, WirelessDirect, Ethernet
Power requirements	100-240VAC, 50/60Hz, 2.0A MAX
System sizing	260 x 380 x 370mm / 16.50Kg. 10.2 x 15 x 14.5 inches / 36.4Lbs
Packed sizing	410 x 500 x 480mm / 19Kg. 16.1 x 19.7 x 18.9 inches / 41.9Lbs
Warranty	12 months manufacturers warranty
Technical support	Unlimited lifetime technical support included
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 1L build tray, Asiga Flash post-curing chamber, calibration toolkit

 $^{{}^{*}\}operatorname{Contact}\operatorname{Asiga}\operatorname{for}\operatorname{information}\operatorname{regarding}\operatorname{material}\operatorname{biocompatibility}\operatorname{certification}\operatorname{in}\operatorname{your}\operatorname{region}$







ASIGA

Prin	t capacity	54+ rings (size dependant)
Prin	t speed - 25µm layers	3 hrs (height of tallest piece 30mm)
Prin	t cost (USD)	\$0.50 - \$2 per piece (weight/material dependant)









up to 26 rings (ring size dependant) 3 hrs (height of tallest piece 30mm)

\$0.50 - \$2 per piece (weight/material dependant)



Flexible precision.

Flexible precision. The MAX X is Asiga's highest resolution jewelry production system with a re-configurable resolution of 27, 35 or 43 microns. This allows the system to be adapted to both extreme resolution and high productivity applications. Built on the extraordinary precision of Asiga's SPS Technology, the MAX X delivers performance, reliability and flexibility for jewelers and casting houses.





MAX X27

MAX X35

MAX X43

•			
Build Volume X, Y, Z	51.8 x 29.1 x 76mm. 2 x 1.14 x 3 inches	67.2 x 38 x 76mm. 2.6 x 1.5 x 3 inches	82.5 x 46.4 x 76mm. 3.24 x 1.82 x 3 inches
Pixel Resolution	27μm	35μm	43μm
Technology	DLP	DLP	DLP
LED Wavelength	405nm (high power LED)	405nm (high power LED)	405nm (high power LED)

Material Compatibility	Open Material System. Over 400 validated materials available via Asiga's Material Library online.
Production	Jewelry Manufacturing
Software	Asiga Composer software. Lifetime updates included
File inputs	STL, SLC, STM (Asiga Stomp file format)
Network Compatibility	Wifi, WirelessDirect, Ethernet
Power requirements	100-240VAC, 50/60Hz, 2.0A MAX
System sizing	260 x 380 x 505mm / 19Kg. 10.2 x 15 x 19.9 inches / 41.9Lbs
Packed sizing	400 x 510 x 630mm / 21.5Kg. 15.7 x 20 x 24.8 inches / 47.4Lbs
Warranty	12 months manufacturers warranty
Technical support	Unlimited lifetime technical support included
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 1L build tray, Asiga Flash post-curing chamber, calibration toolkit

 $^{{}^{*}\}operatorname{Contact}\operatorname{Asiga}\operatorname{for}\operatorname{information}\operatorname{regarding}\operatorname{material}\operatorname{biocompatibility}\operatorname{certification}\operatorname{in}\operatorname{your}\operatorname{region}$



ASIGA

Printer Performance

Print capacity
Print speed - 25µm layers

Print cost (USD)





ASIGA









The ultimate in volume production.

The PRO 4K utilises the latest DLP imaging technology to achieve the largest print envelope in our range, with precision, reliability and speed for the most demanding production applications. Available in two native pixel configurations depending on your production requirements.







Printer Performance

Print capacity	178 rings (size dependant)
Print speed - 25µm layers	3 hrs (height of tallest piece 30mm)
Print cost (USD)	\$0.50 - \$2 nor niece (weight/material dependant)

Product specification		PRO 4K65	PRO 4K80	
	Build Volume X, Y, Z	176.5 x 99 x 200mm. 6.94 x 3.9 x 7.87 inches	217 x 122 x 200mm. 8.54 x 4.8 x 7.87 inches	
-	Pixel size - 4K mode	46μm	56μm	
Ī	Pixel size - Native mode	65μm	80µm	
	Technology	DLP	DLP	
	LED Wavelength	405nm (high power LED)	405nm (high power LED)	

Material Compatibility	Open Material System. Over 400 validated materials available via Asiga's Material Library online.
Production	Jewelry Manufacturing
Software	Asiga Composer software. Lifetime updates included
File inputs	STL, SLC, STM (Asiga Stomp file format)
Network Compatibility	Wifi, WirelessDirect, Ethernet
Power requirements	100-240VAC, 50/60Hz, 500 Watts (100V - 5Amp Max. 240V - 2.1Amp)
System sizing	465 x 540 x 1370mm / 140 kg 18.3 x 21.2 x 53.9 inches / 309 lb
Packed sizing	900 × 700 × 1540mm / 205 kg 35.4 × 27.6 × 60.6 inches / 452 lb
Warranty	12 months manufacturers warranty
Technical support	Unlimited lifetime technical support included
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 2L build tray, Asiga Flash post-curing chamber, calibration toolkit

 $^{{}^{*}\}operatorname{Contact}\operatorname{Asiga}\operatorname{for}\operatorname{information}\operatorname{regarding}\operatorname{material}\operatorname{biocompatibility}\operatorname{certification}\operatorname{in}\operatorname{your}\operatorname{region}.$



Jewelry Manufacturing Solutions




Which Asiga 3D printer is for you?

Select your Asiga 3D printer by considering both detail definition and available X,Y, Z build area.

Calculations approximate based on printing the following sample ring.

Ring SizeX, Y, Z: 22 x 6.5 x 27mm









3D printing materials for jewelry manufacturing, from casting wax to rubber molding.

SuperCAST HD

Direct Casting Resin material for Gold Alloys



SuperWAX

Direct Casting WAX material for Platinum, Gold Alloys



SuperCAST

Direct Casting Resin material for Gold Alloys



FusionGRAY


Vulcanized Rubber Molds & RTV



Our Open Material System allows for printing with any suitable material from any material manufacturer.









Automatic Support and Part Placement

For fast build processing and greater user efficiency

Build Time Estimator

Effectively schedule your production workflow

Multi-Stacking included

Maximize Z height usage and build multiple levels of parts

Simple & Intuitive

Submit builds within a minimal number of clicks. Compatible with file types STL, PLY, SLC, STM

Dynamic Part Array

Place parts based on geometry to maximize available build area

Load and Process Multiple Builds

Manage multiple builds at the same time in a simple tab based interface

Remote Control

Access your printer via a simple web interface

Compatible with Apple, Windows, Linux











