

SDS Revision Date: 1/4/2021

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 670HS Karna-Sil Ultra

PRODUCT CODE: 670HS Karna-Sil Ultra

SYNONYMS: CAS NUMBER:

PRODUCT USE: See Technical Datasheet

MANUFACTURER24 HR. EMERGENCY TELEPHONE NUMBERKarnak CorporationCHEMTREC (US Transportation): (800)424-9300

330 Central Avenue Clark, NJ 07066 www.karnakcorp.com **CHEMTREC (International Transportation)**: 1(202)483-7616

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Colored liquid

IMMEDIATE CONCERNS: None

POTENTIAL HEALTH EFFECTS

EYES: May cause eye irritation **SKIN:** May cause skin irritation

SKIN ABSORPTION: Causes skin irritation.

INGESTION: Harmful if swallowed. **INHALATION:** Harmful if inhaled.

CHRONIC: Prolonged or repeated skin contact may cause dryness, defatting, and

dermatitis.

CARCINOGENICITY: The ingredients of this product are known to the state of California to be carcinogenic. The ingredients of this product are not classified as carcinogenic by ACGIH or IARC, not regulated as carcinogens by OSHA, and are not listed as carcinogens by NTP. No significant bound to other materials in the liquid state as in paints and ocatings.

MUTAGENICITY: There is no substantial evidence of mutagenic potential.

REPRODUCTIVE TOXITY

REPRODUCTIVE EFFECTS: Not Applicable **TERATOGENIC EFFECTS:** Not Applicable

IRRITANCY: Not Applicable

CLASSIFICATION: Acute toxicity, oral – Category 4. Suspected of causing cancer – Category 2.

PICTOGRAMS



SDS Revision Date:

1/4/2021







GHS-0

SIGNAL WORD(S): Warning, Danger

HAZARD STATEMENTS: Harmful if swallowed. Suspected of causing cancer. **PRECAUTIONARY STATEMENTS:** Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: wash with plenty of soap and water. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance to local/state/federal laws.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number
Polydimethysiloxane, Dihydroxy Terminated	40% to 45%	70131-67-8
Crystalline Sodium Potassium Aluminosilicate (Quartz)	30% to 35%	14808-60-7
Silanol Terminated Polydimethylsiloxane	15% to 20%	70131-67-8
Titanium Dioxide	5% to 10%	13463-67-7
Methyl Oximino Silane	0% to 5%	22984-54-9

^{*} Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

"WARNING: THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM."

4. FIRST AID MEASURES

EYES: In case of contact, flush eyes with large amounts of running water for at least 15 min. Hold eyelids apart to ensure rinsing of the entire surface of the eye and lids with water. Get medical attention

SKIN: Remove as much of the material as possible using mechanical/waterless methods before washing with water. Seek medical attention for any burns or irritation resulting from contact with cure by-products



SDS Revision Date:

1/4/2021

INGESTION: Never give an unconscious person anything to drink. If unconscious, treat for shock. Notify a physician or the nearest poison control center immediately. If conscious, have the person rinse his mouth with cold water. Do not attempt to induce vomiting (vomiting may occur naturally, but should be avoided if possible). If unconscious and vomiting, turn the person to his side to avoid choking.

INHALATION: If inhaled, remove to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

SYMPTOMS: Not Applicable **EFFECTS:** Not Applicable

NOTES TO PHYSICIAN: Not Applicable

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Use foam, dry chemical, CO2, or water.

FIRE FIGHTING PROCEDURES: As appropriate for surrounding materials/equipment. If electrical equipment is involved, the use of foam should be avoided. Use water spray to cool non-involved containers.

UNUSUAL FIRE AND EXPLOSION HAZARD: There are no known unusual fire or explosion hazards.

COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide, nitrogen oxides

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Remove all sources of ignition. Ventilate area. Absorb spill with absorbent material such as sawdust, vermiculite or sand, and place in a closed container. In case of large spill, dike the area to prevent this material from entering water systems or sewers.

LARGE SPILL: For major spills call Chemtrec (800-424-9300).

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Not Applicable

LAND SPILL: Not Applicable

PERSONAL PRECAUTIONS: Wear protective gloves/protective clothing/eye protection/face

protection.



SDS Revision Date:

1/4/2021

PROTECTIVE EQUIPMENT: Not Applicable

EMERGENCY PRECAUTIONS: Not Applicable

METHOD OF CLEANING UP: Collect spillage.

7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Avoid breathing aerosols, spray mists and heated vapors. Avoid prolonged or repeated skin contact.

CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Keep containers properly sealed when stored indoors, in a cool well-ventilated area. Keep contents away from moisture. Keep away from heat, sparks and open flame. As standard practice, never use welding or cutting torch on or near any container (even empty) as an explosion may occur. Care should be taken to prevent moisture condensation in the container. Avoid storage above 100°F.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

OSHA TABLE COMMENTS:

NL = Not Listed

EXPOSURE LIMITS: Not Applicable

ENGINEERING CONTROLS: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLV(s). General ventilation is recommended. Additional local exhaust ventilation is recommended where vapors, mists, or aerosols may be released.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protection devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

SKIN: Wear chemical resistant gloves. Wear protective clothing to prevent skin contact. Keep exposed skin area to a minimum. Eye wash station and safety shower should be available.

RESPIRATORY: Use only NIOSH/MSHA approved air purifying or supplied air respirator operated in a positive pressure mode per the NIOSH/OSHA occupational health guidelines for chemical hazards. If it is possible to generate significant levels of vapors or mists, a NIOSH approved or equivalent respirator is recommended.

WORK HYGIENIC PRACTICES: Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Promptly remove soiled clothing and wash thoroughly



SDS Revision Date:

1/4/2021

before reuse. Shower after work, using plenty of soap and water. Open containers of food and beverages should be kept away from areas where the product is used or stored. Eating, drinking, smoking and application of cosmetics should be prohibited in areas where the product is being used.

OTHER USE PRECAUTIONS: Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for specific protective devices at your workplace.

COMMENTS: Not Applicable

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Viscous liquid

COLOR: White, Gray, Tan, etc.

ODOUR: Slight sweet smell

ODOUR THRESHOLD: Not Applicable

pH: Not Applicable

MELTING POINT: Not Applicable

BOILING POINT: 342 - 385°F

FLASH POINT AND METHOD: >134°F (COC) ASTM D-92

EVAPORATION RATE: Slower than ether

FLAMMABILITY (Solid/Gas): Not Applicable

FLAMMABLE LIMITS: Not Applicable TO Not Applicable

VAPOUR PRESSURE: Not Determined

VAPOUR DENSITY: Heavier than air

SPECIFIC GRAVITY: 1.26

% SOLUBILITY IN WATER:

OCTANOL/WATER PARTITION COEFFICIENT: Not Applicable

AUTO-IGNITION TEMPERATURE: Not Applicable



SDS Revision Date: 1/4/2021

DECOMPOSITION TEMPERATURE: Not Applicable

POUR POINT: Not Applicable

MOLECULAR FORMULA:

% VOLATILE: Not Applicable

VISCOSITY: Not Applicable

MOLECULAR WEIGHT:

10. STABILITY AND REACTIVITY

STABLE: Not Applicable

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Keep away from heat, sparks, or flames

STABILITY: This is a stable product.

POLYMERIZATION: Not Applicable

HAZARDOUS DECOMPOSITION PRODUCTS: By high heat or fire: Carbon Monoxide, Oxides of Nitrogen and various hydrocarbon fragments.

INCOMPATIBLE MATERIALS: Avoid strong oxidizing agents, concentrated nitric and sulfuric acids, halogen, and molten sulfur.

POSSIBILITY OF HAZARDOUS REACTIONS: Not Applicable

11. TOXICOLOGICAL INFORMATION

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Dizziness and shortness of breath.

ACUTE EFFECTS:



SDS Revision Date:

1/4/2021

EYE: Exposure to liquid or vapor causes eye irritation. Symptoms may include stinging, tearing, and swelling.

SKIN: Exposure causes skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking. Skin absorption is possible, but harmful effects are not expected from this route of exposure under normal conditions of handling and use.

INHALATION: Short-term inhalation toxicity is low. Breathing small amounts during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are more likely seen at air concentrations exceeding the recommended exposure limits. Symptoms of exposure may include: Irritation (nose, throat, and respiratory tract), metallic taste in mouth, impaired coordination, confusion, CNS depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, and unconsciousness).

INGESTION: Single dose or oral toxicity is low. Swallowing small amounts during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. Symptoms may include: Gastrointestinal irritation (nausea, vomiting, and diarrhea) and possible liver damage. This material can enter the lungs during swallowing or vomiting and cause lung inflammation and/or damage.

TARGET ORGAN: Not Applicable

CHRONIC EFFECTS: Prolonged or repeated skin contact may cause dryness, defatting, and dermatitis.

ACUTE TOXICITY VALUES: Not Applicable

SYMPTOMS OF RELATED

PHYSICAL: Not Applicable

CHEMICAL: Not Applicable

TOXICOLOGICAL CHARACTERISTICS: Not Applicable

DELAYED AND IMMEDIATE EFFECTS: Not Applicable

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: Not Applicable

PERSISTENCE AND DEGRADABILITY: Not Applicable



SDS Revision Date: 1/4/2021

BIO-ACCUMULATIVE POTENTIAL: Not Applicable

MOBILITY: Not Applicable

OTHER ADVERSE EFFECTS: Not Applicable

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

DISPOSAL METHOD: This product has been tested and found to have a flash point above 290°F. If discarded in liquid form, this product may be treated as hazardous waste based on the characteristic of ignitability as defined under the federal RCRA regulations (40 CFR 261). For further, information contact your state or local solid waste agency or the United States Environmental Protection Agency's RCRA hotline (1-800-434-9300 or 202-382-3000). Chemical waste, even small quantities should never be poured down drains, sewers or waterways. Empty containers should be decontaminated and either passed to an approved drum recycler or destroyed.

EMPTY CONTAINER: Not Applicable

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

TECHNICAL NAME: Not Applicable

UN NUMBER: Not Applicable

UN PROPER SHIPPING NAME: Not Applicable

TRANSPORT HAZARD CLASS: Not Applicable

PACKING GROUP: Not Applicable

MARINE POLLUTANT: Not Applicable

SPECIAL PRECAUTIONS: Not Applicable

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Not Applicable

FIRE: No

PRESSURE GENERATING: No

REACTIVITY: No ACUTE: Yes CHRONIC: Yes

313 REPORTABLE INGREDIENTS:

Reportable Component: None

California Proposition 65 (>0.0%):

⚠ WARNING: This product can expose you to chemicals including titanium dioxide, which is known to the State of California to cause cancer and/or reproductive hazards. For more information, go to www.P65Warnings.ca.gov.


302/304 EMERGENCY PLANNING

EMERGENCY PLAN: Not Applicable

OTHER REGULATION: Not Applicable

16. OTHER INFORMATION

HMIS RATING		
Health:	1	
Flammability:	2	
Reactivity:	0	
Personal Protection :	G	



REVISION INDICATOR: Not Applicable

MANUFACTURER DISCLAIMER: KARNAK warrants only that its products meet the specifications stated in the sales contract. Typical properties, where stated, are to be considered as representative of current production and should not be treated as specifications. While all the information presented in this document is believed to be reliable and to represent the best available data on these products, NO GUARANTY, WARRANTY, OR REPRESENTATION IS MADE, INTENDED, OR IMPLIED AS TO THE CORRECTNESS OR SUFFICENCY OF ANY INFORMATION, OR AS TO THE MERCHANTABILITY OR SUITABILITY OR FITNESS OF ANY CHEMICAL COMPOUNDS OR OTHER PRODUCTS OR THE USE THEREOF ARE NOT SUBJECT TO A CLAIM BY A THIRD PARTY FOR INFRINGMENT OF ANY PATENT OR OTHER INTELLECTUAL PROPERTY RIGHT. THE USER SHOULD CONDUCT SUFFICIENT INVESTIGATION TO ESTABLISH THE SUITABILITY OF ANY PRODUCT FOR ITS INTENDED USE. Liability of KARNAK for all claims, whether arising out of breach of warranty, negligence, strict liability, or otherwise, is limited to the purchase price of the material. Products may be toxic and require special precautions in handling. For all products listed, the user should obtain detailed information on toxicity, together with proper shipping, handling, and storage procedures, and comply with all applicable safety and environmental standards. Toxicity and risk characteristics of chemical compounds and other products may differ when used with other materials or in a manufacturing or other process. Those risk characteristics should be determined by the user and made known to handlers, processors, and end users.