




AMAZON ORIGINAL
THE
AERONAUTS

LESSON 1



DETERMINING DENSITY

Science in the Movies
The Aeronauts



Show the movie trailer. (click on image picture to link to movie trailer).

Ask students these questions following the trailer:

- ❖ What science concepts do you think Amelia Wren, and other aeronauts need to know to be able to operate their balloon?

<https://www.dictionary.com/browse/aeronaut>

| LEARNING TARGETS |

- Use a digital simulation to collect science data
- Use displacement to determine the volume of an object.
- Calculate density.
- Draw molecule diagrams to model the density of solids.
- Compare the density of the gas inside the balloon used in the movie *The Aeronauts* with the density of the gas in our atmosphere.



AGENDA

- Real world connections
- What is density
- Use an online simulation to gather data
- Calculate density
- Graph data
- Molecule diagrams
- Density in the movie *The Aeronauts*





Ask students:

- ❖ Why is an understanding of density important in the real world?
- ❖ What are some real-life situations where an understanding of density is important?

| REAL WORLD AND CAREER CONNECTIONS |



Image source: <http://www.sharemylesson.org/open-house/>

AMAZON ORIGINAL
THE
AERONAUTS



sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

**AMAZON
STUDIOS**

Safe boating requires an understanding of the concept of density.

| REAL WORLD AND CAREER CONNECTIONS |



Image credit: [http://www.homedepot.com/b/Kitchen/Countertops-Backplashes/N-5yc1z2m12](http://www.homedepot.com/b/Kitchen/Countertops-Backsplashes/N-5yc1z2m12)

AMAZON ORIGINAL
THE
AERONAUTS

By Educators, For Educators
Created by the AFT Science Cadre

sharemylesson
AMAZON
STUDIOS

Construction—If you know the density of a countertop, you know how strong you need to build the cabinets to support the weight of that countertop.



This type of work can be done by a general contractor. Right now, the average salary for a general contractor is \$59,000 per year, but can be as high as \$116,000 per year.¹

¹<https://www.ziprecruiter.com/Salaries/General-Contractor-Salary>

| REAL WORLD AND CAREER CONNECTIONS |



Image credit: <http://www.bugatti.com/home/>

AMAZON ORIGINAL
THE
AERONAUTS

sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

AMAZON
STUDIOS

Does anyone know what this car is? – Bugatti, fastest street car manufactured?

Engineers consider the density of materials that they use to build cars. The less dense the material that they use to make the car, the faster it will be able to go and it will get better gas mileage.

REAL WORLD AND CAREER CONNECTIONS



Image credit: <https://www.timegroup.jobs/en/prepare-your-applicant/essential-requirements-in-demand/engineering.html>

AMAZON ORIGINAL
THE
AERONAUTS



sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

AMAZON
STUDIOS

This work would be done by an automotive engineer.

The average salary for an automotive engineer is, \$76,142, but can be as high as \$121,000 per year.¹

¹ https://www.glassdoor.com/Salaries/automotive-engineer-salary-SRCH_K00,19.htm

| REAL WORLD AND CAREER CONNECTIONS |



Image credit: <https://www.gettyimages.com/the-aeronauts-official-italy/>


AMAZON ORIGINAL
THE
AERONAUTS



sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

AMAZON
STUDIOS

Aeronauts of the 19th century and even today depend on the density of the gas inside their balloon. The density of the gas inside the balloon is what controls the behavior of the balloon, whether it will ascend or descend at any given time.



In our simulation, we are going to collect data that will allow us to determine the density of a variety of solids.

- ❖ The three states of matter that are common on earth are **solid, liquid, and gas**.
- ❖ In our lesson today we will be collecting data about the density of solids.
- ❖ In solids, the particles are packed tightly together. The intermolecular forces between molecules are strong enough that the particles cannot move freely. Therefore, solids have a definite shape and volume.²
- ❖ Liquids **AND** gases are considered fluids because they can flow.
- ❖ In liquids and gases, the forces between the molecules are weak enough that the molecules can move over or alongside one another¹, or flow.


¹ <https://www.scientificamerican.com/article/go-with-the-flow/>

² <https://courses.lumenlearning.com/boundless-chemistry/chapter/classification-of-matter/>

WHAT IS DENSITY?

- Density is a material's mass per unit volume.
- It is how much “stuff” an object has per unit volume.
- The “stuff” is atoms and molecules.
- Density is calculated using the formula $\rho = m/v$
- ρ is the symbol for density

SOLID



High Density

GAS



Low Density

Image credit: <https://study.com/academy/lesson/what-is-specific-gravity-definition-formula-calculation-examples.html>





Teacher Hint: If available, pass around density cubes so students can feel that objects that are the same size, do not necessarily have the same mass. If you don't have density cubes, consider filling plastic Easter eggs with different materials like sand, or marshmallows, etc

So, what is density?

- ❖ Density is a material's mass per unit volume.
- ❖ It is how much “stuff” an object has per unit volume.
- ❖ The “stuff” is atoms and molecules.
 - ❖ Look at the pictures. Both boxes have the **same** volume. The circles represent atoms. We can tell by the arrangement of the molecules that the box on the left is a solid and the box on the right is a gas. The solid has high density because there are more atoms. The gas has low density because there are fewer atoms. Solids have higher density than gas because the molecules are held close together by strong intermolecular forces. If we are comparing a solid to a gas, there are more molecules in the same size sample of a solid.
- ❖ Density is calculated using the formula $\rho = m/v$
- ❖ ρ is the symbol for density

| DENSITY SIMULATION |

Image credit: <https://study.com/academy/lesson/what-is-specific-gravity-definition-formula-calculation-examples.html>

AMAZON ORIGINAL
THE AERONAUTS

sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

AMAZON STUDIOS

We are going to explore density using an online simulation.

Teacher Hint: *Use the word “fluid” to describe the liquid in this simulation. The content knowledge in this simulation will be used to help students understand why the balloon in the movie the Aeronauts floats in air, which is also a fluid.

| SIMULATION EXPLORATION |

- Play with simulation.
- Share favorite feature with a partner.
- Class list of simulation features.



Give the students time to play with the simulation and see what all they can manipulate. When they are finished, have them share their favorite feature with a partner. Then have students come forward and demonstrate simulation features (on a white board or using the projecting computer)

Make sure they know they can:

- ❖ Drag objects to the electronic balance
- ❖ Read the mass of the objects on the electronic balance
- ❖ Read the volume of water on the beaker
- ❖ Drag a floating object under water
- ❖ Change the fluid density (by moving the green circle up and down the vertical scroll bar)
- ❖ Change the mass and volume of an object (by moving the blue and red buttons along the horizontal scroll bars)
- ❖ Turn the fluid into water (click on the light blue button at the top left of the window)
- ❖ The randomize button drops objects of an unidentified substance into the simulation (pink button at the top of the window)
- ❖ The reset button refreshes the simulation to original settings. (black button at the top right of the window)

*Use the word “fluid” to describe the liquid in this simulation. This is building content knowledge that will help students understand the science behind their upcoming balloon engineering design challenge. Using the term “fluid” instead of water helps students understand that we are observing a phenomena that occurs in all fluids, including air, not just water.

| FINDING THE DENSITY OF OBJECTS |

Purpose:


To compare the density of objects.



Have students record the purpose for the lab on the “Determining density data recording sheet”.

Hypothesis:
List the objects you will be testing in order from most to least dense.

FINDING THE DENSITY OF OBJECTS



Gold	Lead	Foam	Ice
Iron	Wood	Rubber	?????

Image credit: <https://beta-1011013.s3.amazonaws.com/WGBH/art15/09ed6c6d28a1a0e1density@content/index.html>

AMAZON ORIGINAL
THE AERONAUTS

sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

AMAZON STUDIOS

List the objects you will be testing in order from least to most dense.

DATA TABLE

object	mass of the object	Volume of displaced fluid			volume of object	density $\rho = m/v$
		final volume (v_f)	initial volume (v_i)	volume of displaced fluid $v_f - v_i$		
gold	40.53 g	27.6 mL	25.5 mL	2.1 mL	2.1 cm ³	19.3 g/cm ³

27.6 mL
- 25.5 mL
2.1 mL

Fluid Density
2.5 g/mL

$\rho = \text{mass} \div \text{volume}$
 $\rho = 40.53\text{g} \div 2.1\text{cm}^3$
 $\rho = 19.3\text{ g/cm}^3$

40.53 grams

Gold Lead Foam Ice
Iron Wood Rubber

AMAZON ORIGINAL THE AERONAUTS sharemylesson AMAZON STUDIOS
By Educators, For Educators Created by the AFT Science Cadre

To fill out the data table, we will find the mass of the objects using the digital balance. We will find the volume of the objects using displacement. Then we will calculate the density.

We will do gold together. Complete the data table for gold as we go along.

- ❖ Click on gold.
- ❖ A block of gold will drop into the beaker.
- ❖ Drag the gold from the beaker to the digital balance.
- ❖ Record the mass of the gold on your data recording sheet. Make sure you include the unit for mass, grams (g).
- ❖ Observe the volume of fluid. Record the volume of the fluid in the initial volume column (v_i)
- ❖ Drag the gold into the beaker.
- ❖ The gold displaces water in the beaker so now the water level is higher. Record the new water level on the beaker in the final volume (v_f) column.


To find the volume of displaced water, subtract the initial volume from the final volume. (27.6mL – 25.5 mL is 2.1mL.)

- ❖ This means that the block of gold took up the space that was occupied by 2.1 mL of water.
- ❖ The volume of gold is the same as the volume of 2.1 mL of water.

Milliliters is a unit of measure that describes the volume of a liquid. The gold block is a solid. Cubic centimeters is a unit of measure that describes the volume of a solid. 1mL of liquid is the same volume as 1 cubic centimeter. Since our gold block displaced 2.1 mL of liquid, the volume of the gold block is 2.1 cm³.

Now we know the mass of the gold and the volume of the gold so we can calculate the density.

Calculate density by dividing the mass of the object by the volume of the object. We divide 40.53 g by 2.1cm³. The density of gold is 19.3 g/cm³.



After you have found the density of the objects, graph the densities on the graph paper.

- ❖ The density of gold was 19.3 g/cm^3
- ❖ Label one of the columns gold.
- ❖ Fill in the column up to 19.3 g/cm^3 , which would be a little more than halfway between 19 and 19.5.

FINDING THE DENSITY OF OBJECTS

Claim:

List the objects in order from least to most dense.

Write the claim in a complete sentence.

The objects in order from lowest to highest density are;.....



- ❖ After scientists gather data, they summarize their findings by making a claim.
- ❖ The data becomes the evidence to support the claim.


- ❖ For the claim, list the objects in order from least to most dense.
- ❖ Be clear in your communication by writing a complete sentence.

FINDING THE DENSITY OF OBJECTS

1. Find the density of the objects in the simulation.
2. Graph the density of the objects.
3. Make the claim.



Project this slides while the students work to keep them on task.



REASONING

Good scientists do not just make a claim. They explain why. Why is gold denser than lead? Why is lead denser than foam? A good scientist explains the reason the results of their investigation turned out the way it did. One of the tools scientists use to communicate phenomena is models. Models represent a system or part of a system and are used to communicate ideas to others.


We are going to use particle models to communicate why our solids had different densities.

- ❖ Density is influenced by the number of particles (atoms/molecules) in a given volume. It is also influenced by the mass of those particles.
- ❖ The boxes represent one cm^3 samples from three of the objects you tested. We will look at a low, medium, and high-density material we explored in the simulation.
- ❖ Let's start in the middle. Iron had a density of 7.87 g/cm^3 . Label the middle box medium density and iron (Fe).
- ❖ Add circles to the iron diagram to represent the iron atoms. Because this is a solid, the atoms are arranged in a regular pattern. Due to strong forces between the atoms the atoms stay in a fixed position. The atoms do vibrate in place while holding their fixed position.

Now let's look at the densest item in the simulation, which was gold. Label the box, high density and gold (Au).

- ❖ Here is what the particle model would look like for gold.

The models for gold and iron look the same, don't they! Why?



The iron cube is filled with iron atoms. The gold cube is filled with gold atoms. This is an atom.

- ❖ An atom has a center called a nucleus and an area around the nucleus called the electron cloud.
- ❖ The nucleus contains particles called neutrons and protons.
- ❖ The mass of the atom is determined by the number of protons and neutrons in the nucleus. The more protons and neutrons in the nucleus, the heavier the atom is. The electrons are so small that their mass is insignificant.

FINDING THE DENSITY OF OBJECTS

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Hydrogen 1 H 1.008																	Helium 2 He 4.0026
Lithium 3 Li 6.941	Beryllium 4 Be 9.0122											Boron 5 B 10.811	Carbon 6 C 12.011	Nitrogen 7 N 14.007	Oxygen 8 O 15.999	Fluorine 9 F 18.998	Neon 10 Ne 20.180
Sodium 11 Na 22.990	Magnesium 12 Mg 24.305											Aluminum 13 Al 26.982	Silicon 14 Si 28.086	Phosphorus 15 P 30.974	Sulfur 16 S 32.065	Chlorine 17 Cl 35.453	Argon 18 Ar 39.948
Potassium 19 K 39.098	Calcium 20 Ca 40.078	Scandium 21 Sc 44.956	Titanium 22 Ti 47.887	Vanadium 23 V 50.942	Chromium 24 Cr 51.996	Manganese 25 Mn 54.938	Iron 26 Fe 55.845	Cobalt 27 Co 58.933	Nickel 28 Ni 58.693	Copper 29 Cu 63.546	Zinc 30 Zn 65.38	Gallium 31 Ga 69.723	Germanium 32 Ge 72.61	Arsenic 33 As 74.922	Selenium 34 Se 78.96	Bromine 35 Br 79.904	Krypton 36 Kr 83.80
Rubidium 37 Rb 85.468	Sr 38 Sr 87.62	Yttrium 39 Y 88.906	Zirconium 40 Zr 91.224	Niobium 41 Nb 92.906	Molybdenum 42 Mo 95.94	Technetium 43 Tc 98	Ruthenium 44 Ru 101.07	Rhodium 45 Rh 102.91	Palladium 46 Pd 106.42	Silver 47 Ag 107.87	Cadmium 48 Cd 112.41	Indium 49 In 114.82	Tin 50 Sn 118.71	Antimony 51 Sb 121.76	Tellurium 52 Te 127.6	Iodine 53 I 126.905	Xenon 54 Xe 131.29
Cesium 55 Cs 132.91	Ba 56 Ba 137.33	*Lanthanoids 57-71 Lu 174.97	Hf 72 Hf 178.49	Ta 73 Ta 180.95	W 74 W 183.84	Re 75 Re 186.21	Os 76 Os 190.23	Ir 77 Ir 192.22	Pt 78 Pt 195.08	Au 79 Au 196.97	Hg 80 Hg 200.59	Tl 81 Tl 204.38	Pb 82 Pb 207.2	Bi 83 Bi 208.98	Po 84 Po 209	At 85 At 210	Rn 86 Rn 222
Francium 87 Fr 223	Ra 88 Ra 226	**Actinoids 89-102 Lr 260	Rf 103 Rf 261	Db 104 Db 262	Sg 105 Sg 263	Bh 106 Bh 264	Hs 107 Hs 265	Mt 108 Mt 266	Ds 109 Ds 267	Rg 110 Rg 268	Uub 111 Uub 269	Uut 112 Uut 270	Uuq 113 Uuq 271	Uup 114 Uup 272	Uuh 115 Uuh 273	Uus 116 Uus 274	Uuo 117 Uuo 275
		Lanthanoids 57-71 La 138.91	Ce 72 Ce 140.12	Pr 73 Pr 140.91	Nd 74 Nd 144.24	Pm 75 Pm 145	Sm 76 Sm 150.36	Eu 77 Eu 151.96	Gd 78 Gd 157.25	Tb 79 Tb 158.93	Dy 80 Dy 162.50	Ho 81 Ho 164.93	Er 82 Er 167.26	Tm 83 Tm 168.93	Yb 84 Yb 173.05		
		Actinoids 89-102 Ac 227	Th 90 Th 232.04	Pa 91 Pa 231.04	U 92 U 238.03	Np 93 Np 237.05	Pu 94 Pu 244	Am 95 Am 243	Cm 96 Cm 247	Bk 97 Bk 247	Cf 98 Cf 251	Es 99 Es 252	Fm 100 Fm 257	Md 101 Md 258	No 102 No 259		

Key: element name, atomic number, symbol, atomic weight (mass relative to 12C)

AMAZON ORIGINAL **AERONAUTS**  sharemylesson **AMAZON STUDIOS**
By Educators, For Educators
Created by the AFT Science Cadre

The periodic table of elements provides information about each known atom.

One of the facts we can look up on the periodic table is the mass of atoms.


FINDING THE DENSITY OF OBJECTS

Iron
26

Fe

55.85

Atomic number:
Number of protons in all iron atoms



Atomic mass
Mass of the average iron atom.
The average number of particles (protons & neutrons) in the nucleus of an iron atom.

AMAZON ORIGINAL **THE AERONAUTS** sharemylesson AMAZON STUDIOS
By Educators, For Educators
Created by the AFT Science Cadre

One of the things the periodic tells us about an element is the mass of the element.

- ❖ This number is the atomic mass.
- ❖ This means the average Iron atom has a mass of 55.85 atomic mass units (AMU).
- ❖ Protons have a mass of 1 AMU.
- ❖ Neutrons have a mass of 1 AMU.
- ❖ Electrons are so small that their mass is insignificant.

This tells us that the average iron atom has about 56 particles (protons and neutrons) in the nucleus.

All iron atoms have 26 protons.


- ❖ Around 92% of iron atoms have 30 neutrons, giving it a total of 56 particles in the nucleus.
- ❖ Around 6% of iron atoms have 28 neutrons, giving it a total of 54 particles in the nucleus.
- ❖ Around 2% of iron atoms have 31 neutrons, giving it a total of 57 particles in the nucleus.
- ❖ Around .3% of iron atoms have 32 neutrons, giving it a total of 58 particles in the nucleus.¹

These different versions of iron atoms are called isotopes.

Given these percentages, the average iron atom has 55.845 particles in the nucleus, giving the average iron atom a mass of 55.845 AMU.

¹<https://education.jlab.org/itselemental/iso026.html>

FINDING THE DENSITY OF OBJECTS

<p>Gold 79</p> <p>Au</p> <p>196.97</p>	<p>Atomic number: Number of protons in all iron atoms</p> <p>Atomic mass Mass of the average iron atom. The average number of particles (protons & neutrons in the nucleus of an iron atom.</p>	
---	---	--


AMAZON ORIGINAL
THE AERONAUTS

sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

AMAZON STUDIOS

Here is gold.

- ❖ The average gold molecule has an atomic mass of 196.97 AMU.
- ❖ This means the average gold molecule has about 197 particles in the nucleus.



An atom of gold is heavier than an atom of iron. Each atom of gold weighs 4 times as much as an atom of iron.¹

Because there are more protons and neutrons in a gold nucleus, the gold nucleus is a little bigger than the iron nucleus, but not much. There are nearly as many gold atoms as iron atoms in a 1cm^3 sample.¹

Gold is denser than iron because gold atoms are heavier than iron atoms.

¹ <https://van.physics.illinois.edu/qa/listing.php?id=606&t=gold-vs.-iron>

DIAGRAM KEY

● gold atom	● carbon atom
● iron atom	● hydrogen atom

FINDING THE DENSITY OF OBJECTS

55.85 AMU 196.97 AMU

medium density
Iron (Fe)

high density
Gold (Au)

AMAZON ORIGINAL
THE AERONAUTS

sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

AMAZON
STUDIOS

We will use color to enhance our model to communicate why the gold cube is denser than the iron cube.

- ❖ Let's start by using color to communicate the fact that these cubes are made from different atoms. The darker the color, the greater the mass.
- ❖ Make the gold atoms in the gold cube black. Make the iron atoms in the iron cube gray.
- ❖ Next, label one of the atoms in each model to communicate the atomic mass.

Complete the key to communicate the color you used for the gold and iron atoms.

FINDING THE DENSITY OF OBJECTS

The diagram illustrates three blocks of different densities. The first block is empty, representing low density. The second block contains 20 grey spheres, representing medium density. The third block contains 20 black spheres, representing high density. Arrows point from the atomic mass values to the corresponding blocks.

Density	Material	Chemical Formula	Atomic Mass (AMU)
low density	Foam/Styrene	C_8H_8	-
medium density	Iron	Fe	55.85
high density	Gold	Au	196.97


AMAZON ORIGINAL
THE AERONAUTS

sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre

AMAZON STUDIOS

Let's look at a low-density sample from the simulation.

- ❖ The least dense block from the simulation which would be foam.



Styrofoam is made from a long chain of styrene molecules. The chains are called polystyrene. Styrene is made from Carbon and Hydrogen atoms.

❖ Carbon and Hydrogen atoms have a relatively low atomic mass.

FINDING THE DENSITY OF OBJECTS

polystyrene image from an electron scanning microscope





image credit: [https://www.healthyheating.com/Building Science/Building-materials.htm](https://www.healthyheating.com/Building%20Science/Building-materials.htm)

AMAZON ORIGINAL
THE AERONAUTS
sharemylesson
By Educators, For Educators
Created by the AFT Science Cadre
AMAZON STUDIOS

Additionally, as part of the Styrofoam manufacturing process, polystyrene is expanded with air. As a result the molecules are not as tightly packed and there is empty space. Here is a picture of polystyrene foam from an electron scanning microscope.



This means that not only is Styrofoam made from very light atoms. But there would be fewer atoms in a 1cm^3 sample as a result of the manufacturing process.

How can we represent the fact that there are fewer atoms in the sample?

❖ Draw fewer circles

How can we represent the fact that styrene is made from carbon and hydrogen atoms?

❖ Use different colors

How can we represent the fact that carbon atoms have a lower atomic mass than iron and gold? And hydrogen has an even lower atomic mass than carbon?

❖ Use light gray to represent the carbon atoms and white to represent the hydrogen molecules.

Label the atomic mass of your hydrogen and carbon atoms.

❖ Update the table to show the colors used to represent carbon and hydrogen.

**SUMMARIZE
THE EXPERIMENTAL PROCEDURE**

What type of graph was used to graph our density data?
 Why is this type of graph appropriate for this data?
 What is the variable graphed on the horizontal axis?
 What variable is graphed on the vertical axis?
 What object had the lowest density?
 How does the data table show that this object had the lowest density?
 How does the graph show this object had the lowest density?
 Why does this object have such low density?
 What object had the highest density?
 How does the data table show that this object had the highest density?
 How does the graph show this object had the highest density?
 Why are molecule diagrams considered a model?
 What are the strengths of this model?
 What are the weaknesses/limitations of this model?
 What about the data surprised you?
 What other questions could we investigate using this density simulation?



Students should work together to answer these questions in groups of two or three. Use inside/outside circles strategy for students to share their answers with other classmates.

Summarize the procedure. **Use the digital balance to find the mass of the objects, use displacement to determine the volume of the object. Calculate the density of each object using the formula $\rho = \text{mass} \div \text{volume}$**

What type of graph was used to graph our density data? **bar graph**

Why is this type of graph appropriate for this data? **We were graphing the density of objects. Objects are qualitative data.**

What is the variable graphed on the horizontal axis? **Objects**

What variable is graphed on the vertical axis? **Density**

What object had the lowest density? **Foam had the lowest density.**

- ❖ How does the data table show that this object had the lowest density? **0.23 is the smallest density value on the data table.**
- ❖ How does the graph show this object had the lowest density? **The height of the bar communicates the density of the object. Foam has the shortest bar.**
- ❖ Why does this object have such low density? **Foam is made of hydrogen and carbon atoms which**

have a low atomic mass. Also, due to the manufacturing process, there is a lot of empty space between the molecules, so there are fewer molecules in a sample of foam.

What object had the highest density? **Gold had the highest density.**

- ❖ How does the data table show that this object had the highest density? **19.3 is the largest density value on the data table.**
- ❖ How does the graph show this object had the highest density? **The height of the bar communicates the density of the object. Gold has the tallest bar.**
- ❖ Why does this object have such high density? **Gold atoms have a higher atomic mass.**

Why are molecule diagrams considered a model? **Models are used to communicate ideas to others and include diagrams. This diagram communicates why different materials have different densities.**

- ❖ What are the strengths of this model? **It shows the molecular arrangement of solids, and shows why the foam was much less dense than the iron or gold.**
- ❖ What are the weaknesses/limitations of this model? **This model does not show that atoms are vibrating in place, it does not show that iron atoms are slightly smaller than gold atoms. It does not show the arrangement of atoms in the styrene molecules or the arrangement of styrene molecules into polystyrene chains.**

What about the data surprised you? **(answers will vary) I thought iron would be denser than gold.**

What other questions could we investigate using this density simulation? **Why some objects float and some do not. Relationship between mass and density. Relationship between volume and density.**



Aeronauts must understand density in order to operate their balloons.

❖ We just looked at densities of solids, but what about densities of gas?

The hot air balloon in the movie *The Aeronauts* was filled with helium gas.

❖ The fluid surrounding the balloon was gas in our atmosphere.

DENSITY IN THE AERONAUTS MOVIE

What gas was in the balloon in the movie *The Aeronauts*?

What gases are found in our atmosphere? Include the percentages

What is the atomic mass of the gas used in the balloon?

What is the atomic mass of two most abundant gases in our atmosphere?

Compare the density of the inside and outside of the balloon.



Use your textbook or the internet to look up the following information. Write a paragraph that answers the following questions. If you use the internet, cite your sources.

SAMPLE PARAGRAPH:

The gas used in the balloon featured in the movie *The Aeronauts* was Helium. The gases found in our atmosphere are Nitrogen (78%), Oxygen (21%), Argon (0.93%), Carbon Dioxide (0.04%), and trace amounts of Neon, Helium, Methane, Krypton, Hydrogen, and Water Vapor.¹ The atomic mass of Helium is 4.00 AMU. The atomic mass of Nitrogen is 14.01 and Oxygen is 16.00.² The density of the gas inside the balloon would be lower than the density of gas outside the balloon because helium atoms weigh less than the atoms found in high concentration in our atmosphere.

¹ <https://www.space.com/17683-earth-atmosphere.html>

² <https://www.sigmaaldrich.com/content/dam/sigma-aldrich/articles/biology/marketing-assets/periodic-table-elements.png>