

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31

Version: 4.1

Page: 1/10

(30330101/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

#### Plurafac® SLF 180

#### Recommended use of the chemical and restriction on use

Recommended use\*: surfactant

Suitable for use in industrial sector: chemical industry

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION

100 Park Avenue

Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Chemical family: surfactant

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

#### Classification of the product

Acute Tox. 4 (oral)

Skin Corr./Irrit. 2

Aquatic Acute 3

Acute toxicity

Skin corrosion/irritation

Hazardous to the aquatic environment - acute

#### Label elements

Pictogram:

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31  
Version: 4.1

Page: 2/10  
(30330101/SDS\_GEN\_US/EN)



Signal Word:  
Warning

Hazard Statement:

H315	Causes skin irritation.
H302	Harmful if swallowed.
H402	Harmful to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves.
P273	Avoid release to the environment.
P270	Do not eat, drink or smoke when using this product.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

Labeling of special preparations (GHS):

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

## 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
Trade Secret	90.0 - 100.0%	Fatty Alcohol Alkoxylate

## 4. First-Aid Measures

### Description of first aid measures

**General advice:**

Remove contaminated clothing.

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31  
Version: 4.1

Page: 3/10  
(30330101/SDS\_GEN\_US/EN)

**If inhaled:**

Keep patient calm, remove to fresh air.

**If on skin:**

Wash thoroughly with soap and water.

**If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

**If swallowed:**

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

**Most important symptoms and effects, both acute and delayed**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

**Indication of any immediate medical attention and special treatment needed**Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

**Extinguishing media**

Suitable extinguishing media:  
water spray, dry powder, foam

**Special hazards arising from the substance or mixture**

Hazards during fire-fighting:

harmful vapours, carbon oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

**Advice for fire-fighters**

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

**Further information:**

Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## 6. Accidental release measures

Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

**Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Information regarding personal protective measures see, section 8.

**Environmental precautions**

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31  
Version: 4.1

Page: 4/10  
(30330101/SDS\_GEN\_US/EN)

Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder).  
Dispose of absorbed material in accordance with regulations.  
For large amounts: Pump off product.  
Spills should be contained, solidified, and placed in suitable containers for disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:  
No special precautions necessary.

### Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Carbon steel (Iron)

Further information on storage conditions: Keep container tightly closed and in a cool place.

---

## 8. Exposure Controls/Personal Protection

No occupational exposure limits known.

### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Breathing protection if breathable aerosols/dust are formed.

#### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

#### Body protection:

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures:

Wearing of closed work clothing is required additionally to the stated personal protection equipment.  
No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

---

## 9. Physical and Chemical Properties

Form:	liquid
Odour:	characteristic
Odour threshold:	not determined
Colour:	colourless to slightly yellow

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31  
Version: 4.1

Page: 5/10  
(30330101/SDS\_GEN\_US/EN)

pH value:	6.0 - 7.0 ( 10 g/l)	
Freezing point:	not determined	
Boiling point:	not applicable	
Flash point:	197 °C	(ASTM D93)
	The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	
Flammability:	not determined	
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	not determined	
Vapour pressure:	< 0.35 mmHg ( 20 °C)	
Density:	1.0125 g/cm3 ( 25 °C)	
Relative density:	No data available.	
Vapour density:	not determined	
Partitioning coefficient n-octanol/water (log Pow):	not determined	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	not determined	
Viscosity, dynamic:	not determined	
Particle size:	The substance / product is marketed or used in a non solid or granular form.	
Solubility in water:	( 25 °C) soluble	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Formation of

flammable gases:

Remarks:

Forms no flammable gases in the presence of water.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31  
Version: 4.1

Page: 6/10  
(30330101/SDS\_GEN\_US/EN)

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.  
The product is chemically stable.

### Conditions to avoid

See MSDS section 7 - Handling and storage.

### Incompatible materials

acids, Alkalines, caustics, halogens, reactive chemicals

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:  
not determined

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Harmful if swallowed.

#### Oral

Species: rat

LD50 judged > 500 mg/kg based on deaths at 200 mg/kg (0/6) and 2000 mg/kg (2/3) plus oral LD50 data on surrogate chemicals.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Inhalation

Type of value: LC50

Species: rat

not determined

#### Dermal

Type of value: LD50

Species: rat

not determined

#### Assessment other acute effects

No data available.

#### Skin

Species: rabbit

Result: moderately irritating

Method: OECD Guideline 404

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31  
Version: 4.1

Page: 7/10  
(30330101/SDS\_GEN\_US/EN)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Eye

Moderate to severe irritation to the eyes.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Sensitization

Guinea pig maximization test

Species: guinea pig

Method: OECD Guideline 406

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Aspiration Hazard

No aspiration hazard expected.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: No data available.

### Genetic toxicity

Assessment of mutagenicity: No data available.

### Carcinogenicity

Assessment of carcinogenicity: No data available.

None of the components in this product at concentrations greater than 0.1% are listed by IARC; NTP, OSHA or ACGIH as a carcinogen.

### Reproductive toxicity

Assessment of reproduction toxicity: No data available.

### Teratogenicity

Assessment of teratogenicity: No data available.

## **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

---

## **12. Ecological Information**

### **Toxicity**

#### Toxicity to fish

LC50 (96 h) > 10 - 100 mg/l, Pimephales promelas (OECD Guideline 203, static)

#### Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31  
Version: 4.1

Page: 8/10  
(30330101/SDS\_GEN\_US/EN)

### Aquatic plants

EC50 (72 h) > 10 - 100 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201)

### Chronic toxicity to fish

No data available.

### Chronic toxicity to aquatic invertebrates

No data available.

### Assessment of terrestrial toxicity

No data available concerning terrestrial toxicity.

## **Microorganisms/Effect on activated sludge**

### Toxicity to microorganisms

bacteria/EC50 (0.5 h):  
not determined

## **Persistence and degradability**

### Elimination information

80 - 90 % (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, municipal sewage treatment plant effluent) Readily biodegradable (according to OECD criteria).

75 % (60 d) (DIN EN ISO 11734) (anaerobic, municipal sewage treatment plant effluent) moderately degradable under anaerobic conditions

## **Bioaccumulative potential**

### Bioaccumulation potential

Accumulation in organisms is not to be expected.

## **Mobility in soil**

### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.  
Adsorption to solid soil phase is possible.

## **Additional information**

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. Do not release untreated into natural waters.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.



# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31  
Version: 4.1

Page: 9/10  
(30330101/SDS\_GEN\_US/EN)

### Container disposal:

Dispose of in accordance with national, state and local regulations.

---

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical TSCA, US released / listed

on confidential inventory

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

**WARNING:** This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 0 Special:

### HMIS III rating

Health: 2 Flammability: 1 Physical hazard: 0

---

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations  
SDS Prepared on: 2018/07/31

# Safety Data Sheet

## Plurafac® SLF 180

Revision date : 2018/07/31

Page: 10/10

Version: 4.1

(30330101/SDS\_GEN\_US/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

Plurafac® SLF 180 is a registered trademark of BASF Corporation or BASF SE

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET