



Siena Nylon Carpet Specifications : Escape Broadloom

Style Name	Escape Broadloom
Style Number	71
SPECIFICATIONS	
Construction	Tip-Sheared Loop Pattern
Yarn Content	100% Solution-Dyed Nylon
Dye Method	Solution
Machine Gauge	1/10 in.
Stitch Count	11.3 S.P.I.
Yarn Weight Tufted	45oz./yd2
Pile Height	0.230"
Total Thickness	0.400"
Primary Backing	Woven Polypropylene
Secondary Backing	ActionBac
Recycled Content	N/A
Width	12' (3.66m.)
Pattern Repeat	.20" W x 00" L
Special Technology	N/A
PERFORMANCE	
Static Control	Less Than 3.5 K.V. Step
Flame Resistance	Passes (DOC FF-1-70)
Flooring Radiant Panel	Class 1 (ASTM E-648)
Smoke Density	Less Than .450 (ASTM E-662)
Soil Resistance	Commercial Anti-Soil Protection
Stain Resistance	Commercial Stain Protection
CRI Green Label Plus	Certification# GLP7078
WARRANTIES	
Limited Warranty	10 Years Limited Warranty
ADDITIONAL INFORMATION	
Backing Options	Contact Sales
Custom Colors	Contact Sales
RECOMMENDED INSTALLATION(S)	
	Direct Glue, Double-Stick, or Stretch-in

1-888-977-4362

WWW.SIENAUSA.COM



Siena Nylon Carpet Specifications : Escape Trimline

Style Name	Escape Trimline
Style Number	71L
SPECIFICATIONS	
Construction	Tip-Sheared Loop Pattern
Yarn Content	100% Solution-Dyed Nylon
Dye Method	Solution
Machine Gauge	1/10 in.
Stitch Count	10 S.P.I.
Yarn Weight Tufted	32oz/yd ²
Pile Height	0.128"
Total Thickness	0.306"
Primary Backing	Woven Polypropylene
Secondary Backing	ActionBac
Recycled Content	N/A
Width	12" (3.66m)
Pattern Repeat	.20" W x 00" L (.51 cm. x 00 cm.)
Special Technology	N/A
PERFORMANCE	
Static Control	Less Than 3.5 K.V. Step
Flame Resistance	Passes (DOC FF-1-70)
Flooring Radiant Panel	Class 1 (ASTM E-648)
Smoke Density	Less Than .450 (ASTM E-662)
Soil Resistance	Commercial Anti-Soil Protection
Stain Resistance	Commercial Stain Protection
CRI Green Label Plus	Certification# GLP7078
WARRANTIES	
Limited Warranty	10 Years Limited Warranty
ADDITIONAL INFORMATION	
Backing Options	Contact Sales
Custom Colors	Contact Sales
RECOMMENDED INSTALLATION(S)	

1-888-977-4362

WWW.SIENAUSA.COM



Siena Nylon Carpet Specifications : Escape Tile

Style Name	Escape Tile
Style Number	71T
SPECIFICATIONS	
Construction	Tip-Sheared Loop Pattern
Yarn Content	100% Solution-Dyed Nylon
Dye Method	Solution
Machine Gauge	1/10 in.
Stitch Count	10 S.P.I.
Yarn Weight Tufted	32oz./yd ²
Pile Height	0.128"
Total Thickness	0.306"
Primary Backing	Non-Woven
Secondary Backing	Nexus Tile Backing
Recycled Content	N/A
Tile Size	24" W x 24" L
Pattern Repeat	N/A
Special Technology	N/A
PERFORMANCE	
Static Control	Less Than 3.5 K.V. Step
Flame Resistance	Passes (DOC FF-1-70)
Flooring Radiant Panel	Class 1 (ASTM E-648)
Smoke Density	Less Than .450 (ASTM E-662)
Soil Resistance	Commercial Anti-Soil Protection
Stain Resistance	Commercial Stain Protection
CRI Green Label Plus	Certification# GLP8595
WARRANTIES	
Limited Warranty	10 Years Limited Warranty
ADDITIONAL INFORMATION	
Backing Options	Contact Sales
Custom Colors	Contact Sales
RECOMMENDED INSTALLATION(S)	
	1/4 Turn, Monolithic

1-888-977-4362

WWW.SIENAUSA.COM