

INSTALLATION GUIDE




VIVID  
ARCHITECTURAL  
LETTERING &  
ILLUMINATED  
SIGNAGE

 SIGN INSTALL



# 1:1 INSTALLATION TEMPLATE



ALL ORDERS INCLUDE A 1:1 SIZED PAPER TEMPLATE FOR AN EASY ROUGH-IN AND INSTALLATION


MOUNTING  
PIN SIZES:

1/4" DIAMETER SCREWS WITH  
20 THREADS PER INCH:  
- 1/4-20\*100MM  
- 1/4-20\*50MM

OR

5/32" DIAMETER SCREWS:  
- 5/32\*30MM  
- 5/32\*100MM  
- 5/32\*1000MM





# APPLY TEMPLATE

- ENSURE 1:1 PAPER TEMPLATE IS PROPERLY ALLIGNED AND FASTENED PRIOR TO BEGINNING YOUR INSTALLATION.
- STEP AWAY FROM THE SIGN AND INSPECT FOR ACCURACY.
- PROCEED WITH NEXT STEPS



# TAP REFERENCE POINTS



Reapply tape, when dislodged  
(ensure to keep sign aligned)

# REMOVE AND CONFIRM



Step 3 - Carefully Remove Template



Confirm Hole Alignment



# DRILL THEN PASS THROUGH WIRES



# DRILL THEN PASS THROUGH WIRES





# DRILL THEN PASS THROUGH WIRES





# CONTINUE AND REPEAT PROCESS



# FINE TUNE AND TEST LIGHTS



Fine Tune Alignment

this



GLLS  
VALIS  
2021



PLEASE CONTACT US  
FOR QUESTIONS OR  
COMMENTS

# CONTACT INFORMATION



PHONE NUMBER

\_\_\_\_\_

888-580-6366

EMAIL ADDRESS

\_\_\_\_\_

sales@glls.com

WEBSITE

\_\_\_\_\_

www.glls.com