




Version 4.0

Table of Contents

Fabric Light Box	2
Graphic Ordering Guide	3
Gallery Samples	4

Fabric Light Box

0.98" (25mm) Thickness

Output

LED Light	Samsung High CRI
Light Engine Type	Samsung LED Light Engine
Power Consumption	4.0 Watts per ft (12 Watts per meter)
LED Configuration	One (1), two (2), or four (4) edges
LED Intervals	0.65in (16.66mm)

Electrical

Input Voltage	DC 12 Volt or DC 24 Volt
Power Cord Size	20 AWG, 2 Conductors
Power Cord Length	Standard 5ft (150cm) Optional 10ft (300cm)
Power Supply	UL Class 2 or LPS DC 12 Volt: Max 5 Amp / 60 Watt DC 24 Volt: Max 4.1 Amp / 98.4 Watt or CE approved
Barrel Connector	2.1mm Male connector on power supply 5.5mm Female connector on LED Light Panel

Features

Color Temperature	2400K-9000K
Frame / Frame Color	Anodized Aluminum Snap Frame Silver or Black
Frame Width	0.87in (22mm)
Safety Design	Plastic corner pieces for protection
Dimming	By external dimmer (Optional)
Light Guide Panel	0.24in (6mm) Acrylic with V cut

Physical

Thickness	0.39in (10mm) Single-sided
Operating Temperature	-22°F (-30°C) ~ 104°F (+40°C)
Environment	Suitable for indoor and dry locations
Minimum Size	10in x 10in (25.4cm x 25.4cm)
Maximum Size	60in x 118in (152.4cm x 299.72cm)
Weight	2.8lbs / sq ft (10.5Kg / sq meter)
Mounting	Wall mount by screws or own mounting clips

Dependability

Lumen Maintenance	(L70) 50,000hrs
Warranty	5 Years Limited Warranty

Safety


Certification	UL Listed (E344011) CE approved
---------------	------------------------------------

Brightness


Dimension (in)	Dimension (mm)	LED	Surface Brightness (Lux)	Power Consumption (W)
12 x 12	304 x 304	1 long side	3,500	3.0
18 x 24	457 x 609	2 long sides	5,000	13.2
24 x 24	609 x 609	2 long sides	3,600	13.2
24 x 36	609 x 914	2 long sides	3,600	20.4
36 x 48	914 x 1219	2 long sides	2,800	27.6
36 x 72	914 x 1828	2 long sides	2,500	43.3
48 x 96	1219 x 2438	2 long sides	2,000	56.4
60x118	1500 x 3000	4 sides	2,000	98.0

Mounting Options

Mount with screws, Z-clips or mounting clips



Dimensions



White Color Temperatures Available

2400K	2700K	3200K	3700K	4200K	4700K	5300K	6500K	7500K	9000K
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------


Fabric Light Box

Graphic Ordering Guide

Determine the dimension of prints as per frame overall size.

A, A' = Frame Overall Size + 23mm

B, B' = Frame Overall Size - 7mm



Gallery Samples

