


# basic

faro Group 2

brunner ::



faro  
2/7245



faro  
2/7204



faro  
2/7263



faro  
2/7268



faro  
2/7274



faro  
2/7275




faro  
2/7277



faro  
2/7283




faro  
2/7284



faro  
2/7286



faro  
2/7291



faro  
2/7298

## faro

---

### Fabric category 2

Material: 100% polyester

Weight: 460 +/-2% g per linear metre

Width: 140 +/-2% cm

Rub resistance (Martindale)

DIN EN ISO 12947/2: 1999:

> 92,000 trips

Pilling: 4–5

Lightfastness: 5

Flammability: DIN 4102-1 B1, EN 1021-1/2

BS5852, Crip 5-BS5852 Source 5

Free from azo dyes and allergenic dyes, free

from formaldehyde, PCP and TeCP,

Phthalate-free, saliva-, sweat- and

urine-resistant, disinfectant-resistant.

### Cleaning and care:



### faro with Medic coating

The faro and lissabon fabrics can be given a waterproof Medic coating. The technical specifications, e.g. fire protection, differ from the description without the Medic coating. Please enquire where necessary.

### faro cleaning and care

Simply use paper towels to absorb spilled liquids and dab any remaining liquid with another paper towel.

If dried, dab with a damp sponge. Then allow it to dry completely to reactivate the stain-resistant effect.

### General cleaning instructions for washable fabrics:

Please note the care symbols.

Removable covers can be washed.

For more information, see our cleaning and care instructions at

[www.brunner-group.com](http://www.brunner-group.com)