

comfort

monza / siena

Group 2

brunner ::


# monza

---

Fabric category 2

## monza


With a classic leather grain. Due to its natural look and touch one can hardly differentiate between this material and genuine leather. The material is especially suitable for the contract area, for public buildings and institutions.



2/6199




2/6103




2/6142




2/6144




2/6145




2/6157



2/6162



2/6163




2/6177



2/6179




2/6183




2/6185



2/6187



2/6188



2/6197



2/6199

Fabric category 2

**siena**


With a fine-structured calf leather grain and a subdued printing. The material is all-purpose and especially suitable for the contract area, for public buildings and institutions.




2/6099



2/6043




2/6045



2/6049



2/6057



2/6078




2/6082




2/6085



2/6088



2/6096



2/6097



2/6099

## monza

---

### Fabric category 2

#### 83% PVC-compound (surface)

#### 17% CO-knitted fabric (support)

Weight: 700 +/-50 g/m<sup>2</sup>

Thickness: 1.3 +/-0.2 mm

Roll width: 137 cm, roll length: 30 m

Abrasion resistance: > 75.000 cycles

Martindale: DIN EN ISO 5470-2,

abrasion resistant

Fastness to light: level 7

(DIN EN ISO 105-B02)

Flammability: DIN 4102-1 B1,

NF M1, BS5852 IS-0+1+5, EN1021-1+2,

MVSS302, DIN 53438 (Part 2),

FAR 25.853, ÖNORM B3825 flame-

retardant (B1), ÖNORM A 3800-1,

Q1, UNI 9175/87 (1.IM)

Quality: easy to clean, tear-resistant,  
blood and urine resistant, resistant to  
disinfectants

Cleaning: Pollution by oil, fat and ink  
must be removed immediately.

Clean with warm, mild soap lye and a  
micro-fibre cloth or a soft hand brush.

Please, do not use solvents, chloride,  
abrasives, chemical cleaning agents  
or wax polishes. Please note that  
colorings by jeans or other textiles  
are excluded from any manufacturer's  
guarantee.

## siena

---

### Fabric category 2

#### 83% PVC-compound (surface)

#### 17% CO-knitted fabric (support)

Weight: 700 +/-50 g/m<sup>2</sup>

Thickness: 1.3 +/-0.2 mm

Roll width: 137 cm, roll length: 30 m

Abrasion resistance: > 50.000 cycles

Martindale: DIN EN ISO 5470-2,

abrasion resistant

Fastness to light: level 7

(DIN EN ISO 105-B02)

Flammability: DIN 4102-1 B1,

NF M1, BS5852 IS-0+1+5, EN1021-1+2,

MVSS302, DIN 53438 (Part 2),

FAR 25.853, ÖNORM B3825 flame-

retardant (B1), ÖNORM A 3800-1,

Q1, UNI 9175/87 (1.IM)

Quality: easy to clean, tear-resistant,  
blood and urine resistant, resistant to  
disinfectants

Cleaning: Pollution by oil, fat and ink  
must be removed immediately.

Clean with warm, mild soap lye and a  
micro-fibre cloth or a soft hand brush.

Please, do not use solvents, chloride,  
abrasives, chemical cleaning agents  
or wax polishes. Please note that  
colorings by jeans or other textiles  
are excluded from any manufacturer's  
guarantee.