



ALTP-88

SECTION 1. IDENTIFICATION

Product Identifier ALTP-88

Other Means of Clear Coat Protectant - Meadow Fesh Scent

Identification

Recommended Use Protectant for use in automatic carwash foam arches.

Restrictions on Use None known.

Manufacturer / Transchem Inc., 1225 Franklin Blvd, Cambridge, ON, N1R 7E5, 1-800-265-9100,

Supplier www.transchem.com

Supplier Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870,

www.turtlewaxpro.com

Emergency Phone No. CANUTEC (Canada), 613-996-6666, 24 Hours

INFOTRAC (U.S.), 1-800-535-5053, 24 Hours

SDS No. Ver. 1

Date of Preparation December 19, 2019

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquid - Category 4; Skin corrosion/irritation - Category 2; Serious eye damage/eye irritation - Category 2A **GHS Label Elements**



Signal Word:

Warning

Hazard Statement(s):

H227 Combustible liquid.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

Prevention:

P210 Keep away from flames and hot surfaces. – No smoking.

P264 Wash hands and skin thoroughly after handling.
P280 Wear protective gloves/eye protection/face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P362 + P364 Take off contaminated clothing and wash it before reuse. P332 + P313 If skin irritation occurs: Get medical advice/attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P370 + P378 In case of fire: Use dry chemical powder, appropriate foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

Product Identifier: ALTP-88

SDS No.: Ver. 1 Page 01 of 07

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Distillates (Petroleum), Hydrotreated Middle	64742-46-7	5-10	Mineral Seal Oil
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	61789-77-3	3-7	Di-Alkyl Quaternary Ammonium Chloride
2-Butoxyethanol	111-76-2	1-5	Ethylene Glycol Monobutyl Ether
Amines, C14-18 and C16-18-unsatd. alkyl, ethoxylated	68155-39-5	1-5	Ethoxylated Fatty Acid Amine
2-Propanol	67-63-0	1-5	Isopropyl Alcohol
Alcohols, C9-11, ethoxylated, liquids	68439-46-3	1-5	Alcohol ethoxylate

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Get medical advice/attention if you feel unwell or are concerned.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation occurs get medical advice/attention.

Eve Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. If in eyes: causes moderate to severe irritation. Symptoms include sore, red eyes, and tearing.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Can ignite if strongly heated. Do not direct solid stream of water into burning liquid. Contact with water causes violent

Product Identifier: ALTP-88

SDS No.: Ver. 1 Page 02 of 07

frothing and spattering.

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Concentrated product: it is good practice to prevent releases into the environment. Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff. Remove or recover liquid using pumps or vacuum equipment.

Contact emergency services and manufacturer/supplier for advice. Review Section 13 (Disposal Considerations) of this safety data sheet.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin or on clothing. Only use where there is adequate ventilation. Avoid release to the environment. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Wear personal protective equipment to avoid direct contact with this chemical. Do NOT smoke in work areas. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in an area that is: clean, dry, well-ventilated, out of direct sunlight and away from heat and ignition sources, separate from incompatible materials (see Section 10: Stability and Reactivity). Store in a closed container. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
2-Butoxyethanol	20 ppm C Skin		50 ppm Skin			
Distillates (Petroleum), Hydrotreated Middle	5 mg/m3	10 mg/m3	5 mg/m3			
2-Propanol	200 ppm	400 ppm				

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: polyvinyl chloride, latex rubber, butyl rubber.

Product Identifier: ALTP-88

SDS No.: Ver. 1 Page 03 of 07

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Clear amber liquid.

Odour Floral

Odour Threshold Not available pH 6.5 - 8.0

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash Point~ 69 °C (156 °F)Evaporation RateNot availableFlammability (solid, gas)Not available

Upper/Lower Flammability or

Explosive Limit

Not applicable (upper); Not applicable (lower)

Vapour Pressure Not available
Vapour Density (air = 1) Not applicable

Relative Density (water = 1) 0.98

Solubility Soluble in water Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic)

Other Information

Physical State Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources. Incompatible materials.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
2-Butoxyethanol	450 ppm (female rat)	400-917 mg/kg (rat)	220 mg/kg (rabbit)

Product Identifier: ALTP-88

SDS No.: Ver. 1 Page 04 of 07

	(4-hour exposure)		
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides		200-2000 mg/kg (rat)	
Distillates (Petroleum), Hydrotreated Middle	> 10 mg/L (rat) (4-hour exposure)	> 5,000 mg/kg (rat)	> 2000 mg/kg (rabbit)
2-Propanol	72600 mg/m3 (rat) (4-hour exposure)	1870 mg/kg (rat)	4059 mg/kg (rabbit)
Alcohols, C9-11, ethoxylated, liquids		1378 mg/kg (rat)	> 2000 mg/kg (rabbit)

Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

Serious Eye Damage/Irritation

Human experience shows serious eye irritation. Symptoms include sore, red eyes, and tearing.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause nose and throat irritation, lung irritation, coughing, headaches.

Ingestion

May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

Symptoms may include dry, red, cracked skin (dermatitis).

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		
2-Propanol	Group 3			

Reproductive Toxicity

Development of Offspring

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Effects on or via Lactation

Not known to cause effects on or via lactation.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

Toxicity

Acute Aquatic Toxicity

Chemical Name LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae	
-------------------------	----------------	----------------------	-------------	--

Product Identifier: ALTP-88

SDS No.: Ver. 1 Page 05 of 07

2-Butoxyethanol	1490-2950 mg/L (Lepomis macrochirus (bluegill); 96-hour)	1550 mg/L (Daphnia magna (water flea); 48-hour)	
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	0.195 mg/L (96-hour)	0.3 mg/L (Daphnia magna (water flea); 48-hour)	
2-Propanol	11130 mg/L (Pimephales promelas (fathead minnow); 96-hour; static)	13299 mg/L (Daphnia magna (water flea); 48-hour)	
Alcohols, C9-11, ethoxylated, liquids	11 mg/L (Pimephales promelas (fathead minnow); 96-hour; fresh water)	5.3 mg/L (Daphnia magna (water flea); 48-hour)	

Chronic Aquatic Toxicity

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
2-Butoxyethanol	> 100 mg/L (21-day; semi-static)		> 100 mg/L (Daphnia magna (water flea); 21-day; semi-static)	
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides			0.15 mg/L (Daphnia magna (water flea); 21-day)	
Alcohols, C9-11, ethoxylated, liquids	1.5 mg/L			

Persistence and Degradability

(Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides) Degrades rapidly based on quantitative tests. Biodegradable as per OECD 301E tests for ready biodegradability.

(2-Butoxyethanol) Degrades rapidly based on quantitative tests. Biodegradable as per OECD 301E tests for ready biodegradability.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

Special Precautions Not applicable

for User

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

Product Identifier: ALTP-88

SDS No.: Ver. 1 Page 06 of 07

Additional USA Regulatory Lists

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2).

New Jersey Right To Know: 2-butoxyethanol (CAS: 111-76-2); 2-propanol (CAS: 67-63-0).

California Proposition 65: No listed substances are known to be present.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 1 Flammability - 2 Instability - 0

SDS Prepared By Technical Group **Date of Preparation** December 19, 2019

Disclaimer The information contained here in has been compiled from sources believed to be reliable and

is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: ALTP-88

SDS No.: Ver. 1 Page 07 of 07

